

Alberta Swine Improvement Program

CANADIANA

62
JAN 27 1987

AL. 1. 827

HOME TEST REPORT
January 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire and of their relatives compared to all other sires and dams in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The greater the positive EBV's the greater the likelihood the sire's progeny will show genetic increase in backfat and/or growth rate. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are available for dams from the breeders on the program. The Pork Industry Branch also has EBV's from other regions in Canada.

How To Use This Report

(See Reverse)

/2 . . .

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

BOARS

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
YORKSHIRE							
Braat, J. Coaldale 327-9757	12 month average			124 pigs	(11.4)	(147)	100
	ANZI 1712S	-0.8	+8.3	ARBF 577U	11.3	162	73
	"	"	"	" 617U	11.1	155	89
	ANZI 3863P	-1.8	+7.5	" 635U	11.1	141	115
	"	"	"	" 636U	8.7	146	134
	"	"	"	" 645U	10.2	142	124
	"	"	"	" 646U	10.8	152	98
	ANZI 832S	-2.1	+3.3	" 651U	12.3	139	105
	"	"	"	" 652U	9.3	140	139
	AMBW 384P (2)			" 665U	13.8	133	98
Gray, L. Marwayne 847-2437	12 month average						
	KKEF 2781S	-1.2	-2.8	AOLO 62U	18.2	160	53
	"	"	"	" 67U	15.6	149	102
	"	"	"	" 68U	14.1	156	109
	"	"	"	" 69U	13.0	161	111
	"	"	"	" 71U	17.7	157	63
Gwynne Vista Farms Gwynne 352-2998	12 month average			67 pigs	(14.5)	(169)	100
	KKEF 1490T (1)			GWYN 9101U	11.4	189	91
	BUFA 484S (1)	+0.8	+3.3	" 9204U	10.6	168	131
Matejka, G. Sylvan Lake 887-2656	12 month average			143 pigs	(13.7)	(154)	100
	KKEF 2641S			KKEF 1661U	13.7	172	69
	KKEF 562S	+0.2	-5.3	" 1701U	14.0	179	54
	KKEF 2186S	-0.7	-3.7	" 1723U	15.4	171	54
	RITR 655S	-1.5	-4.5	" 1740U	11.4	175	87
	"	"	"	" 1741U	11.4	168	99
	"	"	"	" 1745U	12.4	168	88
	KKEF 2186S	-0.7	-3.7	" 1810U	12.2	157	108
	"	"	"	" 1830U	11.6	158	114
	"	"	"	" 1831U	13.1	172	74
	"	"	"	" 1832U	13.5	168	77
	"	"	"	" 1833U	12.1	172	84
	"	"	"	" 1852U	13.9	163	81
	KKEF 2641S			" 1860U	13.1	170	78
	"			" 1861U	12.6	163	95
	RITR 655S	-1.5	-4.5	" 1871U	16.3	153	76

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Matejka, G. (continued)	RITR 655S	-1.5	-4.5	KKEF 1872U	15.7	155	79
	"	"	"	" 1874U	14.9	155	87
	KKEF 2186S	-0.7	-3.7	" 1880U	13.0	167	84
	"	"	"	" 1881U	13.7	154	99
	"	"	"	" 1882U	11.5	163	106
	KKEF 2641S			" 1896U	14.8	177	49
	JPVH 2117S (2)			" 1900U	18.0	152	62
	"			" 1932U	15.0	160	77
	LMRW 186S(2)	-2.3	-6.8	" 1954U	12.6	156	107
	JPVH 2117S (2)			" 1962U	15.8	154	79
	KKEF 2186S	-0.7	-3.7	" 2000U	15.5	157	77
Milne, B. Ponoka 783-6695	12 month average			137 pigs	(14.2)	(152)	100
	ANZI 1913S (1)	-1.2	-0.5	MILN 557U	13.8	153	104
	"	"	"	" 559U	14.8	145	104
	MILN 388T			" 566U	12.9	154	115
	"			" 567U	13.2	153	111
	"			" 568U	12.7	160	105
	AMBW 278P (2)	-1.9	-0.2	" 573U	12.3	142	143
	"	"	"	" 588U	12.5	138	148
Papenhuyzen, C. Stony Plain 963-4358	12 month average			20 pigs	(17.3)	(165)	100
	ASUS 112S			ASUS 214U	16.6	180	83
	12 month average			45 pigs	(15.4)	(151)	100
Roeske, M. Alcomdale 939-4938	ROSE 336T			ROSE 364U	18.0	143	92
	KKEF 532T			" 377U	16.7	137	113
	"			" 395U	16.7	136	115
	"			" 398U	15.7	134	126
	12 month average			25 pigs	(14.4)	(162)	100
West, N. & T.J. Radway 736-3790	JKAA 421T			ATED 236U	15.4	175	77
	"			" 260U	13.9	151	118
	"			" 261U	14.2	156	108
	"			" 262U	15.7	152	101
	"			" 265U	16.0	156	93
	"			" 254U	17.3	162	75
	"			" 267U	12.9	143	135
	"			" 273U	16.3	147	101

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
		LANDRACE					
Barrett, R. & A. Ponoka 783-5192	12 month average			104 pigs	(15.6)	(136)	100
	ROYS 264S	+2.1	+1.1	ROYS 389U	14.7	138	105
	"	"	"	" 390U	14.5	137	108
	"	"	"	" 391U	17.9	144	62
Braat, J. Coaldale 327-9757	12 month average			37 pigs	(13.5)	(148)	100
	ASDZ 541S	+0.5	-5.2	ARBF 640U	12.8	145	112
	"	"	"	" 641U	13.4	140	114
Duff, B. Fort Saskatchewan 998-3101	12 month average			(Not Available)			
	MCMC 8T			BKDF 60U	13.6	144	
	"			" 64U	14.4	139	
Duff, D. Fort Saskatchewan 998-3101	12 month average			52 pigs	(15.1)	(153)	100
	DUFF 544T			DUFF 610U	11.0	144	140
	"			" 630U	13.0	154	112
	"			" 632U	17.2	148	93
	"			" 633U	15.4	147	107
	"			" 640U	16.4	153	92
	MCMC 8T			" 653U	13.0	139	135
	DUFF 544T			" 661U	13.1	131	148
	"			" 660U	13.3	138	135
	"			" 662U	15.2	145	111
	GARY 420S	-2.7	+0.1	" 682U	14.4	139	126
	"	"	"	" 700U	13.2	136	139
Lakeland College Vermilion 853-2971	12 month average			90 pigs	(14.4)	(170)	100
	JBFA 2S (1)	-1.0	-13.4	ATAT 428U	11.5	178	112
	"	"	"	" 431U	13.4	173	101
	"	"	"	" 432U	13.5	186	81
	"	"	"	" 446U	12.2	170	117
	"	"	"	" 447U	12.2	170	117
	"	"	"	" 506U	12.7	163	123
	"	"	"	" 507U	10.1	160	152
	"	"	"	" 510U	11.1	141	169
	"	"	"	" 511U	14.4	159	110
	"	"	"	" 512U	15.6	146	116
	DLDA 557S (1)	-0.1	-6.0	" 518U	12.0	166	124
	"	"	"	" 519U	13.4	149	135

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Lakeland College (continued)	DASA 871S	+0.5	-9.4	ATAT 550U	13.6	140	145
	"	"	"	" 551U	14.6	150	121
Matejka, T. Sylvan Lake 887-2656	12 month average			25 pigs	(15.1)	(154)	100
	TONY 2320T			TONY 1680U	12.1	170	105
	"			" 1800U	13.7	163	99
	"			" 1821U	13.4	165	100
	"			" 1826U	13.4	162	104
	"			" 1827U	14.3	175	72
	BVA 1607T(2)			" 1971U	13.1	154	121
	TONY 2320T			" 2001U	13.6	150	124
Milne, B. Ponoka 783-6695	12 month average			33 pigs	(13.3)	(146)	100
	MILN 166T			MILN 580U	13.8	144	96
	"			" 583U	13.2	144	103
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	DUFF 590T			MCMC 82U	11.2	146	
	"			" 85U	9.1	149	
	"			" 86U	9.6	147	
	MCMC 021T			" 96U	13.5	147	
<u>LACOMBE</u>							
Gwynne Vista Farms Gwynne 352-2998	12 month average			102 pigs	(13.7)	(164)	100
	JA 522S	-1.3	+3.3	KR 10604U	11.5	155	140
<u>HAMPSHIRE</u>							
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	ASUS 30T			ASUS 20U	12.7	159	
	"			" 21U	10.3	159	
	"			" 26U	14.4	169	
	"			" 27U	11.4	151	
Papenhuyzen, C. Stony Plain 963-4358	12 month average			(Not Available)			
	ARIH 2S			ASUS 183U	11.4	202	
	"			" 184U	12.6	194	
	"			" 192U	13.5	190	
	"			" 196U	11.4	186	

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
<u>CROSSBRED</u>							
raat, J. oaldale 27-9757	12 month average			80 pigs	(12.8)	(145)	100
	ARBF 656T			519U	13.1	159	70
	ARBF 64T			653U	12.8	137	117
	"			654U	13.2	142	102
	"			656U	13.6	138	105
orinville Colony orinville 39-2118	12 month average			47 pigs	(14.1)	(175)	100
	AREE 10S			546U	11.5	181	119
	"			558U	12.3	170	127
	"			560U	15.4	177	84
	JR			592U	15.9	159	105
	AREE 432S			599U	11.2	167	142
	ASUS 30T			610U	11.9	147	165
	"			612U	11.5	145	173
anchview Test Barn entley 48-3802	12 month average			1389 pigs	(13.4)	(151)	100
	RFAA 1791T			RFAA 2563U	12.5	153	106
	RFAA 3972S			" 2581U	11.7	152	118
	"			" 2582U	12.4	151	113
	"			" 2583U	12.8	156	96
	"			" 2584U	17.1	167	18
	"			" 2585U	11.0	151	130
	RFAA 103S			" 2595U	12.9	153	102
	"			" 2602U	12.9	153	102
	RFAA 11S			" 2612U	14.6	147	95
	"			" 2613U	13.8	152	93
	"			" 2614U	18.0	147	52
	RFAA 103S			" 2622U	16.0	158	53
	RFAA 3901S			" 2636U	12.9	146	118
	RFAA 11S			" 2661U	13.2	161	80
	"			" 2662U	12.5	156	100
	RFAA 671P			" 2692U	12.9	139	134


Date		Description		Amount	
1911	Jan 1	Balance		100.00	
1911	Jan 15	Received from A. B. C.		50.00	
1911	Feb 1	Received from D. E. F.		25.00	
1911	Mar 1	Received from G. H. I.		75.00	
1911	Apr 1	Received from J. K. L.		100.00	
1911	May 1	Received from M. N. O.		150.00	
1911	Jun 1	Received from P. Q. R.		200.00	
1911	Jul 1	Received from S. T. U.		250.00	
1911	Aug 1	Received from V. W. X.		300.00	
1911	Sep 1	Received from Y. Z. A.		350.00	
1911	Oct 1	Received from B. C. D.		400.00	
1911	Nov 1	Received from E. F. G.		450.00	
1911	Dec 1	Received from H. I. J.		500.00	
1911	Dec 31	Total		2000.00	

GILTS

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	ACE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Braat, J. Coaldale 327-9757	360	12.0	154	January 1 - 15	16	12.0	156
Carrich Stock Farm Ponoka 783-5181	(Not Available)			"	2	12.7	188
Gray, L. Marwayne 847-2437	26	15.0	152	"	3	16.0	156
Gwynne Vista Farms Gwynne 352-2998	97	15.1	175	"	18	13.3	169
Matejka, G. Sylvan Lake 887-2656	415	14.8	173	"	18	13.5	179
Milne, B. Ponoka 783-6695	186	15.7	159	"	8	13.8	155
Papenhuyzen, C. Stony Plain 963-4358	22	19.4	163	"	6	18.3	173
Roeske, M. Alcomdale 939-4938	206	17.5	166	"	10	14.8	159
<u>LANDFACE</u>							
Barrett, R. & A. Ponoka 783-5192	158	16.9	144	"	3	16.1	142
Braat, J. Coaldale 327-9757	50	14.7	156	"	3	14.6	153

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Duff, B. Fort Saskatchewan 998-3101	(Not Available)			January 1 - 15	2	15.9	141
Duff, D. Fort Saskatchewan 998-3101	115	15.0	157	"	12	15.6	140
Lakeland College Vermilion 853-2971	128	15.4	170	"	19	14.7	164
Matejka, T. Sylvan Lake 887-2656	70	16.0	175	"	4	14.3	173
Milne, B. Ponoka 783-6695	43	14.5	148	"	2	14.6	138
Morinville Colony Morinville 939-2118	22	14.3	155	"	7	13.0	148
<u>LACOMBE</u>							
Gwynne Vista Farms Gwynne 352-2998	139	15.0	172	"	4	14.3	179
<u>HAMPSHIRE</u>							
Morinville Colony Morinville 939-2118	(Not Available)			"	1	15.8	154
Papenhuyzen, C. Stony Plain 963-4358	32	14.0	176	"	5	16.4	181

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>CROSSBRED</u>							
Braat, J. Coaldale 327-9757	77	14.2	151	January 1 - 15	1	15.0	138
Carrich Stock Farm Ponoka 783-5181	66	14.6	184	"	11	13.8	177
Gwynne Vista Farms Gwynne 352-2998	186	15.2	170	"	2	12.9	164
Milne, B. Ponoka 783-6695	299	15.6	155	"	8	14.0	145
Morinville Colony Morinville 939-2118	220	15.3	180	"	15	14.0	168
Olds College Olds 556-8393	467	15.6	162	"	40	14.9	163
Ranchview Test Barn Bentley 748-3802	41	15.5	163	"	8	14.4	170
West, N. & T.J. Radway 736-3790	213	16.8	164	"	13	16.1	158
Woelk Farms, Unit 1 Millet 387-4801	91	18.3	176	"	11	15.9	171
Woelk Farms, Unit 2 Millet 387-4801	95	17.1	177	"	12	14.7	170



Alberta Swine Improvement Program

AL 1.827

HOME TEST REPORT
January 16 - 31, 1987

CANADIANA

FEB 11 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire and of their relatives compared to all other sires and dams in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The greater the positive EBV's the greater the likelihood the sire's progeny will show genetic increase in backfat and/or growth rate. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are available for dams from the breeders on the program. The Pork Industry Branch also has EBV's from other regions in Canada.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

BOARS

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIC IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
YORKSHIRE							
Agra Farms Ltd. Okotoks 938-7741	12 month average			135 pigs	(14.3)	(162)	100
	ARHL 827T			ARHL 636U	14.2	169	90
	"			" 641U	11.7	160	137
	ARHL 521T			" 644U	14.6	157	104
	"			" 645U	13.5	161	113
	"			" 646U	12.9	173	101
	"			" 654U	17.1	156	70
	"			" 655U	14.7	164	91
	"			" 656U	13.5	166	104
	"			" 660U	14.1	165	98
	"			" 667U	12.4	160	129
	"			" 668U	12.7	146	147
	"			" 669U	12.0	169	121
Barrett, R. & A. Ponoka 783-5192	12 month average			(Not Available)			
	ROYS 105T			ROYS 421U	17.3	134	
Brownlee, J. Hairy Hill 768-2313	12 month average			70 pigs	(13.8)	(162)	100
	AHKP 0850S			AHKP 380U	13.0	174	91
	"			" 381U	16.6	177	48
	"			" 390U	11.7	17.1	109
	"			" 392U	13.8	158	104
	"			" 403U	13.1	178	86
	"			" 404U	12.6	174	96
	"			" 421U	12.6	153	125
	"			" 422U	11.3	158	133
	"			" 423U	11.7	151	137
	"			" 443U	11.8	145	144
	"			" 444U	14.2	142	122
	"			" 447U	14.6	144	115
	KKEF 1930T			" 459U	11.1	137	162
	"			" 460U	13.3	141	133
Eringsfeld, B. Coaldale 345-3420	12 month average			74 pigs	(14.3)	(163)	100
	KKEF 1304S	-1.8	+0.7	AOGK 442U	13.8	201	54
	"	"	"	" 452U	14.8	194	52
	AOGK 371T			" 462U	12.6	186	88
	"			" 491U	10.6	182	114

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Eringfeld, B. (continued)	AOGK 371T			AOGK 492U	11.3	191	95
	KKEF 1304S	-1.8	+0.7	" 512U	9.0	173	144
	"	"	"	" 541U	15.0	164	90
	"	"	"	" 542U	13.6	165	104
	"	"	"	" 543U	16.5	161	78
	"	"	"	" 551U	12.7	163	117
	"	"	"	" 552U	12.7	153	131
	"	"	"	" 563U	17.1	159	74
Five Lakes Farms Mayerthorpe 786-4373	12 month average			233 pigs	(13.7)	(159)	100
	JKAA 561S (1)	-1.2	-11.4	JKAA 12207U	11.2	166	118
	RITR 964T			" 12801U	13.2	162	102
	JKAA 1220T			" 12902U	10.2	154	141
Knobben, G. Jarvie 954-2125	12 month average			53 pigs	(12.8)	(153)	100
	AREE 352S	+2.3	-7.8	GARY 360U	11.7	145	129
	"	"	"	" 361U	14.6	143	96
Knobben, J. Jarvie 954-2647	12 month average			92 pigs	(12.8)	(150)	100
	AREE 352S	+2.3	-7.8	AREE 425U	11.9	164	84
	ARHL 632T			" 450U	14.1	141	101
	"			" 451U	15.0	143	87
	"			" 453U	13.9	141	104
	AREE 352S	+2.3	-7.8	" 510U	12.3	137	132
Maschmeyer, D. Bruderheim 998-2845	12 month average			55 pigs	(13.9)	(146)	100
	HILL 54T			DOUG 184U	14.9	153	80
Maschmeyer, G. Bruderheim 998-2845	12 month average			30 pigs	(13.9)	(139)	100
	AOVX 158N	-0.3	-4.7	HILL 123U	17.0	154	48
	"	"	"	" 124U	16.4	153	55
	"	"	"	" 125U	16.4	159	45
	"	"	"	" 126U	17.3	153	47
	"	"	"	" 134U	15.5	149	69
	"	"	"	" 135U	12.7	155	84
Milne, B. Ponoka 783-6695	12 month average			137 pigs	(14.2)	(152)	100
	AMBW 278P (2)	-2.6	-2.0	MILN 574U	14.4	168	68
	"	"	"	" 575U	14.1	162	82
	"	"	"	" 576U	14.5	158	84


BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Milne, B. (continued)	AMBW 278P (2)	-2.6	-2.0	MILN 589U	13.0	156	109
	MILN 388T			" 603U	13.8	141	125
	"			" 604U	13.7	146	116
	"			" 605U	13.8	151	107
	"			" 615U	14.5	139	119
Turko, D. Newbrook 576-2315	12 month average			(Not Available)			
	KKEF 0670T			DANY 82U	15.4	161	
	"			" 84U	14.1	161	
	"			" 91U	14.6	146	
Vandenberg, J. Camrose 672-6177	12 month average			23 pigs	(15.2)	(145)	100
	ASCG 44T			ASCG 413U	12.7	161	104
	"			" 426U	13.1	164	95
	ASCG 156T			" 434U	14.5	168	75
	"			" 436U	14.1	165	84
	"			" 437U	14.6	158	89
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	12 month average			152 pigs	(13.5)	(162)	100
	ARHL 1046S	-2.9	+13.2	ARHL 601U	13.1	189	66
	"	"	"	" 604U	13.5	181	72
	ARHL 311T			" 673U	12.8	152	124
	ARHL 832T			" 678U	17.3	151	74
	"			" 679U	15.9	161	75
	"			" 680U	15.7	160	79
	"			" 681U	15.7	157	88
Barrett, R. & A. Ponoka 783-5192	12 month average			104 pigs	(15.6)	(136)	100
	ROYS 264S	+2.1	+1.1	ROYS 392U	15.3	147	79
	"	"	"	" 393U	16.6	149	63
Lakeland College Vermilion 853-8400	12 month average			75 pigs	(14.5)	(165)	100
	JBFA 2S (1)	-1.0	-13.4	ATAT 526U	11.7	154	144
	"	"	"	" 527U	14.4	173	90
	"	"	"	" 528U	13.3	165	112
	ROYS 101S	-0.9	+5.3	" 558U	18.6	159	67
	"	"	"	" 560U	16.2	159	92
	"	"	"	" 561U	14.3	151	124

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Maschmeyer, G. Bruderheim 998-2845	12 month average			25 pigs	(13.7)	(138)	100
	HILL 15S			HILL 44U	13.5	152	71
	"			" 45U	15.1	151	51
	"			" 46U	12.3	158	73
Milne, B. Ponoka 783-6695	12 month average			33 pigs	(13.3)	(146)	100
	MILN 166T			MILN 581U	12.2	149	109
	FLEV 135S (2)	-0.6	+8.3	" 591U	12.1	150	110
	"	"	"	" 592U	13.6	153	88
	"	"	"	" 593U	12.9	148	103
Wakeena Farm Bentley 748-4252	12 month average			20 pigs	(14.8)	(155)	
	KEEN 36S	-0.8	-2.2	KEEN 183U	12.9	162	124
	"	"	"	" 184U	12.8	165	117
	"	"	"	" 185U	12.7	177	85
	"	"	"	" 186U	12.8	158	137
<u>LACOMBE</u>							
Bloomsbury Farms Bloomsbury 674-3307	12 month average			90 pigs	(16.8)	(156)	100
	BL 15611T			BL 2106U	17.0	119	141
	"			" 2109U	18.0	120	128
	"			" 2202U	16.3	119	147
	BL 1505T			" 2303U	15.6	118	157
	"			" 2304U	15.7	120	152
Five Lakes Farms Mayerthorpe 786-4373	12 month average			137 pigs	(14.2)	(154)	100
	CDAO 153T (1)			JA 12105U	14.1	185	55
	KR 1303S	-2.1	+1.1	" 13108U	12.5	142	135
Brownlee, J. Hairy Hill 768-2313	12 month average			59 pigs	(12.4)	(176)	100
	JKAA 811R	+0.4	-3.1	AHKP 368U	12.6	159	118
	"	"	"	" 371U	11.0	152	150
	"	"	"	" 375U	11.5	162	131
	AJCM 1242R	+0.4	-0.3	" 400U	12.1	167	115
	"	"	"	" 409U	11.0	163	136
	"	"	"	" 411U	13.1	164	105
	"	"	"	" 412U	12.8	177	92
	"	"	"	" 414U	12.7	147	131
	"	"	"	" 417U	11.4	154	142

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Five Lakes Farms Mayerthorpe 786-4373	12 month average			128 pigs	(13.4)	(162)	100
	ASUS 57T			JKAA 12404U	11.5	172	111
	"			" 12603U	13.8	177	78
	"			" 12604U	15.2	160	80
<u>DUROC</u>							
Maschmeyer, G. Bruderheim 998-2845	12 month average			45 pigs	(14.2)	(150)	100
	AOUD 1512R	-0.4	+6.8	HILL 174U	11.1	153	127
<u>CROSSBRED</u>							
Groot, C. Neerlandia 674-4077	12 month average			121 pigs	(14.7)	(167)	100
	3083			4802U	11.0	184	115
	"			4804U	12.6	203	67
	"			4822U	12.1	188	97
	3512			4891U	15.4	175	79
	"			4892U	11.2	168	138
	3083			4912U	13.3	168	113
	1762U			5052U	13.2	147	148
	"			5053U	11.7	145	169
	"			5055U	12.3	145	162
Lakeland College Vermilion 853-8400	12 month average			(Not Available)			
	DASA 871S	+0.5	-9.4	603U	14.2	129	
	"	"	"	605U	15.0	130	
	"	"	"	606U	12.6	120	
Maschmeyer, G. Bruderheim 998-2845	12 month average			(Not Available)			
	DOUG 334T			8GM 45U	15.8	139	
Neufeld Farms Ltd. Acme 546-3969	12 month average			114 pigs	(13.9)	(155)	100
	NEUF 180T			76U	17.9	144	70
	NEUF 147T			94U	13.6	164	92
	"			95U	14.2	147	107
	"			96U	15.6	158	78
	"			97U	14.3	157	94
	"			98U	15.2	163	76
	"			99U	15.9	160	71

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Neufeld Farms Ltd. (continued)	NEUF 147T			122U	15.4	140	103
	"			123U	16.0	143	92
	"			125U	14.6	139	112
	270-1			2473U	16.5	166	57
	"			2474U	11.9	151	127
	"			2475U	14.2	154	98
	292			2761U	13.4	137	128
	"			2762U	14.4	140	113
Ranchview Test Barn Bentley 748-3802	12 month average			1389 pigs	(13.4)	(151)	100
	RFAA 103S			RFAA 2603U	14.2	164	61
	RFAA 11S			" 2611U	15.0	171	36
	"			" 2615U	12.6	165	79
	RFAA 671P			" 2673U	14.7	154	78
	"			" 2674U	12.4	164	84
	"			" 2682U	14.0	160	73
	"			" 2685U	13.5	157	85
	"			" 2686U	15.5	163	48
	"			" 2701U	12.6	150	111
	"			" 2702U	14.1	154	86
	"			" 2703U	12.6	160	90
	"			" 2704U	14.1	166	58
	RFAA 3979S			" 2712U	13.5	148	104
	RFAA 111S			" 2756U	15.2	149	83
	RFAA 103S			" 2764U	11.4	156	114
	RFAA 1278N			" 2784U	12.5	145	124
	RFAA 671P			" 2833U	14.3	155	81
	RFAA 2219S	0.0	-1.0	" 2865U	18.0	156	32
	RFAA 671P			" 2881U	18.0	146	54
	"			" 02881U	19.4	143	43
	RFAA 103S			" 2642U	14.7	159	65
	RFAA 11S			" 2734U	12.9	163	79
	RFAA 671P			" 2811U	13.4	144	116
	RFAA 2219S	0.0	-1.0	" 2823U	14.3	144	105
	"	"	"	" 2826U	16.3	141	86
	RFAA 110S			" 2851U	18.2	157	28
	RFAA 2219S	0.0	-1.0	" 2861U	13.3	153	97
	"	"	"	" 2863U	14.8	150	84
	RFAA 1278N			" 2725U	14.8	180	19
	RFAA 103S			" 2764U	15.5	168	36
	"			" 2765U	15.0	179	19
	RFAA 1278N			" 2771U	14.4	154	81
	"			" 2772U	11.8	155	111
	"			" 2785U	13.3	173	53
	RFAA 2165T			" 2795U	14.0	161	71

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIC IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Ranchview Test Barn (continued)	RFAA 671P			RFAA 2801U	13.7	173	48
	RFAA 2219S	0.0	-1.0	" 2821U	16.3	148	72
	RFAA 110S			" 2855U	12.4	154	104
Ranchview Farms "B"	12 month average			201 pigs	(14.2)	(158)	100
Bentley 748-3802	RFAA 97T			RFAA 4326U	15.8	171	61
	"			" 4327U	11.7	165	114
	"			" 43312U	12.9	161	110
	"			" 43313U	13.3	161	106
	ARHL 313T (1)			" 4365U	14.0	162	96
	"			" 4366U	12.6	171	95
	RFAA 4307T			" 44012U	13.5	165	96
	RFAA 2566T			" 4457U	15.0	161	86
	"			" 44510U	14.0	164	92
	DLDA 557S (1)	-0.1	-6.0	" 4486U	12.1	164	112
	"	"	"	" 4488U	13.3	162	103
	"	"	"	" 4489U	12.7	159	115
	"	"	"	" 44810U	15.4	154	95
	ARHL 313T (1)			" 4574U	14.2	156	104
	"			" 4576U	12.9	162	108
	"			" 4657U	12.7	158	116
	"			" 4659U	12.0	160	120
	RFAA 2259T			" 4795U	12.8	148	134
Vandenberg, J. Camrose 672-6177	12 month average			(Not Available)			
	ASCG 63T			362U	13.1	162	
	"			364U	13.1	159	
	"			380U	14.9	157	
	"			381U	13.4	164	
	"			384U	13.7	163	
	"			385U	12.9	164	
	"			450U	15.7	159	
	"			453U	16.1	161	
	"			454U	16.6	158	
Wakeena Farm Bentley 748-4252	12 month average			(Not Available)			
	ASUS 57T (1)			173U	13.8	164	
	"			174U	13.6	176	



GILTS

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	161	14.9	165	January 16 - 31	17	13.8	161
Barrett, R. & A. Ponoka 783-5192	(Not Available)			"	2	16.7	133
Brownlee, J. Hairy Hill 768-2313	73	14.9	165	"	7	14.9	157
Eringfield, B. Coaldale 345-3420	124	15.5	171	"	9	13.5	172
Five Lakes Farms Mayerthorpe 786-4373	237	15.1	169	"	9	12.5	171
Knobben, G. Jarvie 954-2125	46	13.8	159	"	2	15.9	153
Knobben, J. Jarvie 954-2647	88	13.2	152	"	6	14.3	149
Maschmeyer, G. Bruderheim 998-2845	25	14.5	146	"	4	15.4	157
Milne, B. Ponoka 783-6695	186	15.7	159	"	4	13.8	151
Turko, D. Newbrook 576-2315	36	15.6	152	"	10	15.7	165

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	208	14.0	163	January 16 - 31	10	13.3	171
Barrett, R. & A. Ponoka 783-5192	158	16.9	144	"	1	18.9	149
Lakeland College Vermilion 853-8400	107	15.6	166	"	13	15.3	158
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			"	4	12.9	154
Milne, B. Ponoka 783-6695	43	14.5	148	"	4	12.9	149
Wakeena Farm Bentley 748-4252	65	15.9	159	"	1	14.1	174
<u>LACOMBE</u>							
Five Lakes Farms Mayerthorpe 786-4373	133	16.0	167	"	15	13.5	173
<u>HAMPSHIRE</u>							
Brownlee, J. Hairy Hill 768-2313	55	13.2	174	"	11	12.8	165
Five Lakes Farms Mayerthorpe 786-4373	114	14.4	172	"	5	12.9	173

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>DUROC</u>							
Baert, M. Barrhead 674-3953	(Not Available)			January 16 - 31	1	13.8	178
Maschmeyer, G. Bruderheim 998-2845	38	15.7	146	"	2	15.3	157
<u>CROSSBRED</u>							
Baert, M. Barrhead 674-3953	147	17.3	147	"	6	14.3	157
Bloomsbury Farm Bloomsbury 674-3307	54	16.2	165	"	19	15.6	134
Eringfeld, B. Coaldale 345-3420	(Not Available)			"	5	16.3	182
Groot, C. Neerlandia 674-4077	145	15.4	169	"	20	13.6	166
Lakeland College Vermilion 853-8400	(Not Available)			"	1	17.8	129
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			"	4	16.9	142
Milne, B. Ponoka 783-6695	299	15.6	155	"	7	14.2	150
Olds College Olds 556-8393	467	15.6	162	"	27	16.4	150
Ranchview Test Barn Bentley 748-3802	41	15.5	163	"	13	14.6	163

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Ranchview Farms "B"							
Bentley 748-3802	755	15.8	166	January 16 - 31	124	15.2	170
Vandenberg, J. Camrose 672-6177	(Not Available)			"	1	13.8	169
Wakeena Farm Bentley 748-4252	(Not Available)			"	3	14.0	159
Wierenga, C. Neerlandia 674-5904	211	15.7	175	"	12	15.5	169

Alberta Swine Improvement Program

CANADIAN

FEB 27 1987

HOME TEST REPORT
February 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire and of their relatives compared to all other sires and dams in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The greater the positive EBV's the greater the likelihood the sire's progeny will show genetic increase in backfat and/or growth rate. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are available for dams from the breeders on the program. The Pork Industry Branch also has EBV's from other regions in Canada.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

BOARS

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
YORKSHIRE							
Agra Farms Ltd. Okotoks 938-7741	12 month average			135 pigs	(14.3)	(162)	100
	ARHL 827T			ARHL 698U	11.7	139	171
	"			" 699U	11.5	151	156
	"			" 700U	12.7	142	154
	"			" 701U	9.9	139	196
	"			" 705U	13.3	146	139
	"			" 706U	13.2	144	143
	"			" 707U	10.7	148	171
	ARHL 521T			" 712U	14.0	137	143
	ARHL 827T			" 742U	14.6	151	113
	ARHL 521T			" 747U	14.7	138	133
	"			" 748U	16.6	142	99
	"			" 764U	12.9	150	139
	"			" 765U	16.4	139	108
	"			" 766U	17.1	135	103
	"			" 773U	13.7	144	136
	ARHL 827T			" 777U	15.3	132	135
Barrett, R. & A. Ponoka 783-5192	12 month average			(Not Available)			
	BOU 1T			ROYS 431U	14.5	146	
	"			" 432U	14.1	145	
Braat, J. Coaldale 827-9757	12 month average			124 pigs	(11.4)	(147)	100
	ANZI 3863P	-1.8	+7.5	ARBF 647U	8.1	159	117
	AMBW 378P (2)	-0.6	+0.5	" 666U	12.8	141	95
	ANZI 3863P	-1.8	+7.5	" 671U	12.6	145	89
	"	"	"	" 674U	14.6	151	55
	ADBM 1R (2)	+0.5	-9.0	" 707U	15.6	136	70
	"	"	"	" 708U	14.4	140	78
Five Lakes Farms Mayerthorpe 786-4373	12 month average			223 pigs	(13.7)	(159)	100
	JKAA 982S	+0.3	-3.9	JKAA 11901U	11.7	207	69
	RITR 964T			" 12804U	14.3	182	69
	JKAA 1220T			" 12901U	12.3	173	99
	RITR 964T			" 13201U	12.4	171	101
	"			" 13203U	13.8	172	85
	"			" 13205U	14.4	168	83
	JKAA 982S	+0.3	-3.9	" 13301U	12.3	156	118
	"	"	"	" 13304U	13.4	153	110

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)				
Five Lakes Farms (continued)	RITR 964T			JKAA 13601U	13.4	156	10
	"			" 13603U	14.8	157	9
	"			" 13607U	11.4	142	14
	"			" 13609U	12.6	159	11
	JKAA 982S	+0.3	-3.9	" 13703U	16.4	156	7
	"	"	"	" 13707U	15.2	141	10
	AOET 1395S	+0.1	-2.3	" 13801U	12.6	143	12
	"	"	"	" 13802U	12.2	148	12
	"	"	"	" 13803U	13.8	144	11
	"	"	"	" 13804U	11.9	145	11
	RITR 964T			" 13903U	12.7	148	12
	"			" 13904U	12.6	158	11
	"			" 13905U	14.8	156	9
	"			" 13906U	12.2	147	12
	JKAA 1282T			" 14104U	13.3	150	11
Gray, L. Marwayne 847-2437	12 month average			(Not Available)			
	KKEF 2781S	-1.2	-2.9	AOLO 76U	15.4	149	
	"	"	"	" 77U	16.7	152	
	"	"	"	" 83U	15.8	146	
	"	"	"	" 85U	15.2	162	
	"	"	"	" 86U	17.5	157	
Gwynne Vista Farms Gwynne 352-2998	12 month average			67 pigs	(14.5)	(169)	1
	GWYN 3003T			GWYN 11101U	12.4	174	1
	"			" 11103U	11.6	163	1
	"			" 11105U	13.8	171	1
	"			" 11106U	14.6	162	1
Maschmeyer, D. Bruderheim 998-2845	12 month average			55 pigs	(13.9)	(146)	1
	AOVX 158N	-0.3	-4.7	DOUG 196U	14.0	156	
	"	"	"	" 197U	10.3	147	1
	"	"	"	" 198U	11.3	147	1
	"	"	"	" 199U	10.9	148	1
	HILL 166T			" 204U	13.7	147	1
	"			" 205U	15.7	148	
	"			" 206U	11.6	150	1
	"			" 207U	13.2	157	
	"			" 208U	15.9	147	
	OKV 93T			" 220U	13.0	148	1
	"			" 221U	12.6	146	1
	"			" 222U	11.9	148	1
	AMBW 278P (2)	-1.9	-0.2	" 232U	12.7	139	1

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Maschmeyer, G. Bruderheim 998-2845	12 month average			30 pigs	(13.9)	(139)	100
	AOVX 158N	-0.3	-4.7	HILL 152U	13.3	126	128
	"	"	"	" 153U	13.6	129	118
	DOUG 800U			" 170U	14.0	138	101
	"			" 171U	15.4	131	99
Matejka, G. Sylvan Lake 887-2656	12 month average			143 pigs	(13.7)	(154)	100
	JPVH 2117S (2)			KKEF 1902U	14.1	176	57
	"			" 1930U	14.4	185	41
	LMRW 186S (2)	-2.3	-6.8	" 1950U	10.6	178	89
	"	"	"	" 1952U	12.9	175	71
	JPVH 2117S (2)			" 1960U	13.7	176	63
	"			" 1968U	13.3	175	67
	KKEF 1494T			" 1990U	12.0	176	78
	"			" 1992U	12.9	180	63
	"			" 1994U	12.2	178	73
	"			" 1995U	11.6	188	62
	KKEF 2641S			" 2020U	13.8	168	74
	"			" 2024U	15.0	170	59
	KKEF 02180T			" 2033U	12.4	167	90
	"			" 2036U	14.1	169	70
	RITR 655S	-1.5	-4.5	" 2060U	11.8	176	81
	KKEF 2186S	-0.7	-3.7	" 2072U	13.7	159	91
	"	"	"	" 02072U	12.7	160	99
	ACUT 124T			" 2090U	11.7	174	85
	"			" 2091U	12.8	165	90
	"			" 2097U	14.5	170	64
	KKEF 2186S	-0.7	-3.7	" 2102U	14.7	168	66
	"	"	"	" 2103U	12.9	175	72
	"	"	"	" 2104U	12.5	163	95
	"	"	"	" 2105U	13.2	165	86
	KKEF 1284S	-1.3	-1.6	" 2120U	13.7	158	93
	KKEF 2186S	-0.7	-3.7	" 2152U	14.4	165	74
	KKEF 2701S	-1.5	-10.1	" 2173U	13.1	165	87
	"	"	"	" 2174U	16.6	171	42
	"	"	"	" 2175U	15.2	169	59
	KKEF 1494T			" 2183U	12.7	163	94
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	ARHL 632T			MCMC 40U	13.1	152	


BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Agra Farms Ltd. (continued)	ARHL 311T " "			ARHL 752U " 753U " 754U	14.1 15.0 15.3	146 140 136	117 117 118
Barrett, R. & A. Ponoka 783-5192	12 month average ROYS 264S " " " " " "	+2.1 " " " " " "	+1.1 " " " " " "	104 pigs ROYS 443U " 444U " 450U " 452U " 458U " 460U	(15.6) 15.8 18.8 18.1 16.8 18.1 19.3	(136) 131 122 132 134 129 129	100 109 100 85 93 93 81
Duff, D. Fort Saskatchewan 998-3101	12 month average MCMC 8T " DUFF 544T			52 pigs DUFF 740U " 760U " 770U	(15.1) 14.1 10.1 13.8	(153) 141 140 127	100 125 154 148
Lakeland College Vermilion 853-8597, Ext. 597	12 month average DASA 640P ROYS 101S " " " " DASA 871S "	+0.5 -0.9 " " " " +0.5 "	+1.7 +5.3 " " " " -9.4 "	75 pigs ATAT 536U " 558U " 559U " 588U " 589U " 598U " 600U	(14.5) 17.0 13.5 16.9 12.9 17.7 17.2 16.0	(165) 186 163 171 158 158 150 144	100 45 113 66 128 78 95 115
Maschmeyer, G. Bruderheim 998-2845	12 month average HILL 15S			25 pigs HILL 54U	(13.7) 13.8	(138) 141	100 91
Matejka, T. Sylvan Lake 887-2656	12 month average BVA 1607T (2) " TONY 2320T			25 pigs TONY 1941U " 1972U " 2003U	(15.1) 14.0 14.6 14.0	(154) 175 173 177	100 75 72 72
Morinville Colony Morinville 939-2118	12 month average ARHL 948S " "			(Not Available) MCMC 121U " 124U " 125U			

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)				
Reiter Farms Iron Springs 738-4472	12 month average			(Not Available)			
	TONY 1061S			RITR 1226U	13.5	161	
	"			" 1228U	11.5	165	
<u>LACOMBE</u>							
Five Lakes Farms Mayerthorpe 786-4373	12 month average			137 pigs	(14.2)	(154)	
	KR 1303S	-2.1	+1.1	JA 13101U	12.5	162	
	"	"	"	" 13106U	14.1	172	
	"	"	"	" 13107U	12.9	154	
	"	"	"	" 13109U	12.1	163	
	"	"	"	" 14403U	14.9	145	
Gwynne Vista Farms Gwynne 352-2998	12 month average			102 pigs	(13.7)	(164)	
	JA 522S	-1.3	+3.3	KR 11501U	12.6	156	
	"	"	"	" 11502U	11.6	152	
	"	"	"	" 11504U	13.5	162	
	"	"	"	" 11505U	12.6	156	
	"	"	"	" 11506U	15.0	168	
	KR 8904S	+2.4	-1.1	" 11601U	14.6	159	
	"	"	"	" 11602U	12.6	149	
	"	"	"	" 11604U	12.2	150	
	"	"	"	" 11605U	11.8	167	
	JA 522S	-1.3	+3.3	" 11701U	14.2	165	
	"	"	"	" 11703U	14.8	165	
	"	"	"	" 11704U	14.8	165	
	KR 8904S	+2.4	-1.1	" 11801U	13.5	149	
	"	"	"	" 11803U	12.5	156	
	"	"	"	" 11804U	13.3	145	
	"	"	"	" 11805U	12.7	161	
	"	"	"	" 11806U	13.5	146	
	"	"	"	" 11807U	12.0	165	
	KR 14501R	+0.3	-0.9	" 12001U	15.0	141	
	"	"	"	" 12003U	15.6	159	
	"	"	"	" 12004U	15.6	152	
	"	"	"	" 12005U	15.6	155	
	"	"	"	" 12006U	15.3	152	
<u>HAMPSHIRE</u>							
Five Lakes Farms Mayerthorpe 786-4373	12 month average			128 pigs	(13.4)	(162)	
	ASUS 57T (1)			JKAA 12607U	12.0	183	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	ASUS 30T			MCMC 30U	14.4	161	
	"			" 32U	15.0	161	
	"			" 33U	12.2	158	
	"			" 34U	12.5	160	
Papenhuyzen, C. Stony Plain 963-4358	12 month average			(Not Available)			
	ASUS 49S	0.0	+12.6	ASUS 232U	15.2	163	
	"	"	"	" 254U	11.5	158	
	"	"	"	" 256U	12.6	171	
	"	"	"	" 257U	13.3	167	
<u>DUROC</u>							
Braat, J. Coaldale 327-9757	12 month average			25 pigs	(12.8)	(151)	100
	ARBF 64T			ARBF 658U	12.9	150	103
	"			" 659U	12.9	138	131
Maschmeyer, G. Bruderheim 998-2845	12 month average			45 pigs	(14.2)	(150)	100
	KTDA 198R (2)	-0.6	-3.5	HILL 184U	11.5	146	134
	ANKF 571R (2)	+1.3	-7.3	" 191U	12.0	139	139
	"	"	"	" 193U	15.0	142	103
	AOUD 1512R	-0.4	+6.8	" 201U	11.3	138	147
	"	"	"	" 202U	14.3	139	114
	"	"	"	" 203U	15.9	147	86
<u>CROSSBRED</u>							
Braat, J. Coaldale 327-9757	12 month average			80 pigs	(12.8)	(145)	100
	ARBF 64T			678U	14.0	133	112
	"			679U	10.7	144	123
	"			680U	11.0	135	137
	ARBF 656T			684U	14.1	142	93
Gwynne Vista Farms Gwynne 352-2998	12 month average			(Not Available)			
	GWYN 3003T			8 BT 11306U	10.9	154	
Maschmeyer, D. Bruderheim 998-2845	12 month average			(Not Available)			
	HILL 65T			8 DL 34U	11.6	148	
	"			" 36U	12.8	150	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Morinville Colony	12 month average			47 pigs	(14.1)	(175)	100
Morinville							
939-2118	MATT			614	13.8	172	108
	"			615U	14.5	173	99
Ranchview Test Barn	12 month average			1389 pigs	(13.4)	(151)	100
Bentley							
748-3802	RFAA 11S			RFAA 2733U	14.2	169	51
	RFAA 1278N			" 2783U	13.4	158	85
	RFAA 671P			" 2831U	15.1	154	72
	RFAA 1791T			" 2872U	14.2	163	64
	RFAA 110S			" 2895U	12.2	158	99
	RFAA 2162T			" 2922U	15.7	161	50
	"			" 2923U	15.5	157	61
	"			" 2924U	14.8	176	27
	"			" 2926U	15.0	178	22
	"			" 2927U	17.0	169	17
	RFAA 2219S	0.0	-1.0	" 2932U	13.7	148	103
	"	"	"	" 2937U	14.4	156	76
	RFAA 111S			" 2943U	15.6	168	37
	"			" 2946U	13.5	152	97
	RFAA 671P			" 2953U	14.3	166	55
	"			" 2955U	13.2	166	69
	"			" 2957U	13.7	170	55
	RFAA 2165T			" 2971U	12.0	149	122
	"			" 2975U	13.4	154	93
	"			" 2981U	15.7	155	63
	"			" 2984U	14.4	174	36
	RFAA 671P			" 2994U	12.6	153	105
	RFAA 11S			" 3002U	12.1	153	111
	RFAA 2219S	0.0	-1.0	" 3037U	14.7	158	69
	"	"	"	" 30311U	14.3	162	65
Reiter Farms	12 month average			22 pigs	(13.3)	(149)	100
Iron Springs							
738-4472	ACUT 297T			8 CB 1296U	14.2	164	57
	"			" 1299U	12.6	150	104
	"			" 1321U	15.4	158	56
	"			" 1322U	13.1	151	98
	"			" 1323U	14.2	145	97
	"			" 1324U	12.1	155	100
	HILL 161T			" 1413U	14.1	139	110
	"			" 1414U	14.7	134	114
	"			" 1415U	11.5	139	140
	"			" 1416U	13.7	143	107

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		IND
		FAT (MM)	AGE (DAYS)			TO	90 KG	
Rice, R. Ardrossan 998-2794	12 month average AHPZ 20S	-0.6	-5.5	(Not Available) 8 AM 227U	14.6		158	
Woelk Farms Unit #2 Millet 387-4801	12 month average GWYN 11404R			(Not Available) 11802R	15.0		147	



GILTS

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	161	14.9	165	Feb. 1 - 15	9	15.2	141
Barrett, R. & A. Ponoka 783-5192	(Not Available)			"	2	16.3	147
Braat, J. Coaldale 327-9757	300	12.0	154	"	10	12.3	160
Five Lakes Farms Mayerthorpe 786-4373	237	15.1	169	"	6	12.9	166
Gray, L. Marwayne 847-2437	26	15.0	152	"	5	15.6	157
Gwynne Vista Farms Gwynne 352-2998	97	15.1	175	"	20	13.4	172
Maschmeyer, D. Bruderheim 998-2845	54	15.0	149	"	4	14.4	150
Maschmeyer, G. Bruderheim 998-2845	25	14.5	146	"	3	14.2	136
Morinville Colony Morinville 939-2118	(Not Available)			"	3	15.1	146
Reiter Farms Iron Springs 738-4472	198	15.3	161	"	28	14.0	164
Rice, R. Ardrossan 998-2794	41	14.9	169	"	4	16.2	172

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. A.C.
Roeske, M. Alcomdale 939-4938	206	17.5	166	Feb. 1 - 15	18	15.6	15.6
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	208	14.0	163	"	13	14.7	14.7
Barrett, R. & A. Ponoka 783-5192	158	16.9	144	"	3	17.7	17.7
Carrich Stock Farm Ponoka 783-5181	22	14.5	185	"	4	14.4	14.4
Duff, D. Fort Saskatchewan 998-3101	115	15.0	157	"	6	14.6	14.6
Lakeland College Vermilion 853-8597, Ext. 597	107	15.6	166	"	2	16.4	16.4
Morinville Colony Morinville 939-2118	22	14.3	155	"	4	16.4	16.4
Reiter Farms Iron Springs 738-4472	(Not Available)			"	4	12.2	12.2
<u>LACOMBE</u>							
Five Lakes Farms Mayerthorpe 786-4373	133	16.0	167	"	4	14.0	14.0
Gwynne Vista Farms Gwynne 352-2998	139	15.0	172	"	16	15.2	15.2

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. ACE
<u>HAMPSHIRE</u>							
Five Lakes Farms Mayerthorpe 786-4373	114	14.4	172	Feb. 1 - 15	3	12.1	169
Papenhuyzen, C. Stony Plain 963-4358	32	14.0	176	"	2	12.3	167
<u>DUROC</u>							
Braat, J. Coaldale 327-9757	24	13.5	156	"	1	15.8	157
<u>CROSSBRED</u>							
Carrich Stock Farm Ponoka 783-5181	66	14.6	184	"	12	14.3	182
Gwynne Vista Farms Gwynne 352-2998	186	15.2	170	"	4	16.1	152
Maschmeyer, D. Bruderheim 998-2845	(Not Available)			"	2	13.7	155
Morinville Colony Morinville 939-2118		15.3	180	"	42	14.5	166
Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			"	1	16.8	163
Ranchview Test Barn Bentley 748-3802	41	15.5	163	"	12	16.1	172
Rice, R. Ardrossan 998-2794	(Not Available)			"	3	16.7	165

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Woelk Farms Unit #1 Millet 387-4801	91	18.3	176	Feb. 1 - 15	15	15.2	170
Woelk Farms Unit #2 Millet 387-4801	95	17.1	177	"	23	15.8	167

Alberta Swine Improvement Program

CANADIANA

MAR 26 1987

HOME TEST REPORT
February 16 - March 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire and of their relatives compared to all other sires and dams in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The greater the positive EBV's the greater the likelihood the sire's progeny will show genetic increase in backfat and/or growth rate. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are available for dams from the breeders on the program. The Pork Industry Branch also has EBV's from other regions in Canada.

How To Use This Report

(See Reverse)

/2 . . .

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

Due to clerical difficulties, the February 16 - 28 and March 1 - 15 reports are combined into one. In future, we will try to maintain our bimonthly format.

BOARS

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	12 month average			135 pigs	(14.3)	(162)	100
	ARHL 827T			ARHL 741U	11.6	164	133
	ARHL 521T			" 750U	11.8	169	123
	"			" 751U	13.7	156	117
	"			" 771U	14.8	154	104
	"			" 772U	14.9	149	112
	"			" 774U	14.3	163	98
	ARHL 827T			" 778U	10.9	149	166
	"			" 796U	13.0	150	136
	"			" 797U	12.6	154	137
	"			" 799U	14.8	155	104
	"			" 813U	11.4	154	153
	"			" 817U	11.8	157	142
	"			" 821U	10.4	157	161
	"			" 846U	13.4	153	126
	"			" 847U	17.1	129	112
Barrett, R. & A. Ponoka 783-5192	12 month average			(Not Available)			
	BOU 1T			ROYS 430U	14.2	164	
Bloomsbury Farm Bloomsbury 674-3307	12 month average			31 pigs	(15.4)	(161)	100
	WM 8211T			WM 2504U	13.5	146	137
	"			" 2505U	14.5	135	142
	"			" 2506U	19.7	146	80
	"			" 2507U	15.4	141	126
Braat, J. Coaldale 327-9757	12 month average			124 pigs	(11.4)	(147)	100
	ANZI 3863P	-1.8	+7.5	ARBF 687U	9.4	146	126
	ANZI 1712S	-0.8	+8.3	" 694U	10.5	146	113
	"	"	"	" 695U	8.0	141	153
	ADBM 1R (2)	+0.5	-9.0	" 705U	13.5	141	87
	"	"	"	" 706U	17.5	143	34
	ANZI 1712S	-0.8	+8.3	" 712U	12.3	149	86
	ADBM 1R (2)	+0.5	-9.0	" 730U	13.4	140	89
	"	"	"	" 731U	12.3	147	89
	"	"	"	" 732U	12.1	142	101

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Brownlee, J. Hairy Hill 768-2313	12 month average			70 pigs	(13.8)	(162)	100
	KKEF 1930T			AHKP 479U	13.3	159	109
	"			" 484U	12.3	159	120
	"			" 492U	14.0	179	73
Eringfield, B. Coaldale 345-3420	12 month average			74 pigs	(14.3)	(163)	100
	AOGK 523T			AOGK 522U	10.9	191	99
	"			" 523U	11.4	196	88
	KKEF 1304S	-1.8	+0.7	" 561U	13.0	183	87
	"	"	"	" 562U	11.8	178	107
	KKEF 3447S	-1.9	-2.5	" 611U	9.8	168	142
	"	"	"	" 651U	11.8	166	123
Five Lakes Farms Mayerthorpe 786-4373	12 month average			233 pigs	(13.7)	(159)	100
	JKAA 982S	+0.3	-3.9	JKAA 13302U	11.2	183	100
	RITR 964T			" 13602U	11.4	163	119
	JKAA 982S	+0.3	-3.9	" 13705U	13.9	158	99
	RITR 964T			" 13901U	13.1	164	101
	JKAA 1282T			" 14101U	11.2	157	128
	"			" 14102U	12.2	164	110
	"			" 14103U	11.6	164	116
	JKAA 0792P	-0.2	-1.2	" 14801U	12.1	140	137
	"			" 14803U	13.2	154	111
	RITR 964T			" 15004U	14.6	151	99
	"			" 15007U	16.4	154	78
Gwynne Vista Farms Gwynne 352-2998	12 month average			67 pigs	(14.5)	(169)	100
	GWYN 3003T			GWYN 11903U	10.2	167	137
	"			" 12102U	12.9	170	111
	"			" 12905U	15.0	162	109
Knobben, G. Jarvie 954-2125	12 month average			53 pigs	(12.8)	(153)	100
	AREE 352S	+2.3	-7.8	GARY 363U	9.4	179	90
	"	"	"	" 371U	10.6	174	85
Knobben, J. Jarvie 954-2125	12 month average			93 pigs	(12.8)	(153)	100
	AREE 475T			AREE 501U	12.9	169	63
	"			" 502U	11.1	182	59
	AREE 352S	+2.3	-7.8	" 511U	10.9	172	81
	"	"	"	" 512U	10.7	179	69

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Knobben, J. (continued)	AREE 475T			AREE 520U	12.2	162	84
	"			" 522U	10.3	162	107
	"			" 523U	11.7	166	82
	GARY 42S	+2.3	-5.8	" 532U	9.5	155	130
	AREE 352S	+2.3	-7.8	" 542U	12.3	158	90
	GARY 42S	+2.3	-5.8	" 550U	13.9	161	65
	"	"	"	" 552U	13.5	151	91
	"	"	"	" 558U	11.0	159	105
Maschmeyer, D. Bruderheim 998-2845	12 month average			55 pigs	(13.9)	(146)	100
	DOUG 800U			DOUG 210U	17.2	162	44
	"			" 211U	13.5	152	94
	"			" 212U	14.2	156	81
Maschmeyer, G. Bruderheim 998-2845	12 month average			30 pigs	(13.9)	(139)	100
	DOUG 132T			HILL 144U	15.9	148	69
Matejka, G. Sylvan Lake 887-2656	12 month average			143 pigs	(13.7)	(154)	
	RITR 655S	-1.5	-4.5	KKEF 2243U	10.7	163	114
	KKEF 2193S	-1.4	-6.1	" 2257U	12.9	171	62
	KKEF 1861T			" 2262U	12.3	167	91
	KKEF 2701S	-1.5	-10.1	" 2283U	12.4	175	76
	KKEF 02180T			" 2310U	12.4	167	90
	"			" 2312U	13.0	168	82
	"			" 2316U	13.1	179	62
	"			" 2317U	13.7	176	62
	KKEF 2873T			" 2354U	14.5	157	86
	KKEF 2186S	-0.7	-3.7	" 2370U	10.3	152	136
	"	"	"	" 2374U	11.1	162	111
	"	"	"	" 2391U	11.5	157	116
	"	"	"	" 2393U	14.2	156	91
	"	"	"	" 2394U	13.1	158	99
	KKEF 3370S	+0.5	-6.4	" 2401U	16.3	154	74
	"	"	"	" 2402U	16.3	154	74
	"	"	"	" 2404U	14.0	156	94
	KKEF 12702T			" 2412U	13.8	152	102
	KKEF 2435T			" 2430U	12.4	162	99
	"			" 2431U	13.7	161	88
	"			" 2434U	12.1	160	105
	KKEF 2186S	-0.7	-3.7	" 2445U	17.1	159	58
	"	"	"	" 2448U	17.9	161	46
	KKEF 1284S	-1.3	-1.6	" 2462U	16.1	165	57
	KKEF 2186S	-0.7	-3.7	" 2498U	14.8	173	56

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Milne, B. Ponoka 783-6695	12 month average			137 pigs	(14.2)	(152)	100
	MILN 388T			MILN 605U	12.3	150	129
	"			" 615U	15.0	143	104
	"			" 648U	14.5	141	115
	"			" 649U	13.4	146	121
	MILN 678T			" 657U	14.4	151	99
Papenhuyzen, C. Stony Plain 963-4358	12 month average			20 pigs	(17.3)	(165)	100
	ASUS 112S			ASUS 264U	15.5	182	89
	"			" 300U	18.3	159	100
	"			" 301U	21.9	171	49
	"			" 302U	15.9	163	115
Reiter Farms Iron Springs 738-4472	12 month average			102 pigs	(14.0)	(155)	100
	KKEF 440T			RITR 1367U	11.5	167	101
	"			" 1376U	9.6	161	125
	KKEF 1053S	-2.5	-5.0	" 1433U	11.7	157	115
	"	"	"	" 1435U	11.6	160	111
	KKEF 440T			" 1444U	10.0	146	147
	"			" 1454U	10.3	154	131
	"			" 1455U	11.0	155	124
	KKEF 1053S	-2.5	-5.0	" 1462U	10.4	142	149
	"			" 1463U	12.1	147	127
	"			" 1464U	9.8	148	144
	"			" 1465U	14.0	147	112
	ACUT 297T			" 1482U	14.1	138	126
	KKEF 1053S	-2.5	-5.0	" 1493U	12.3	142	134
	"	"	"	" 1494U	10.9	149	135
	RITR 924T			" 1507U	13.7	133	137
	"			" 1508U	12.4	133	147
	"			" 1509U	13.3	133	140
	KKEF 440T			" 1525U	13.3	153	109
	ACUT 297T			" 1536U	15.4	132	125
	KKEF 2566S	-2.7	-3.4	" 1563U	14.5	136	125
	ACUT 297T			" 1591U	14.3	133	133
	RITR 924T			" 1614U	10.7	138	153
	ACUT 297T			" 1634U	11.8	137	143
	RITR 924T			" 1646U	13.7	132	139

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Rice, R. Ardrossan 998-2794	12 month average			54 pigs	(14.2)	(165)	100
	AMBW 514S (1)			AHPZ 240U	14.8	147	115
	AHPZ 26S	-0.8	+4.3	" 263U	15.5	143	112
	AMBW 514S (1)			" 266U	16.9	151	89
	"			" 268U	16.0	155	93
Turko, D. Newbrook 576-2315	12 month average			(Not Available)			
	AHKP 415S	-0.8	-5.4	DANY 100U	13.9	164	
	"	"	"	" 104U	12.9	160	
Vandenberg, J. Camrose 572-6177	12 month average			23 pigs	(15.2)	(145)	100
	ASCG 156T			ASCG 483U	14.9	139	113
	"			" 484U	15.0	152	93
	"			" 486U	13.1	146	121
	"			" 487U	15.7	150	88
	"			" 488U	14.7	150	99
	ASCG 44T			" 490U	13.4	163	94
	ASCG 54T			" 496U	15.7	161	73
	"			" 498U	15.6	151	88
	APOP 41-1S			APOP 520U	16.5	138	98
	ASCG 54T			ASCG 551U	16.1	155	77
	ASCG 180T			" 560U	21.4	131	54
	"			" 571U	13.6	143	121
	"			" 574U	14.8	147	101
	"			" 578U	15.2	143	103
Vest, N. & T.J. Radway 736-3790	12 month average			25 pigs	(14.4)	(162)	100
	JKAA 421T			ATED 268U	12.3	170	108
	"			" 270U	13.4	171	98
	"			" 281U	11.0	164	126
	"			" 283U	12.5	165	112
	"			" 284U	13.8	159	108
	"			" 291U	12.4	169	109
	"			" 292U	12.4	182	94
	"			" 294U	11.0	159	132
	"			" 295U	11.9	166	116
	"			" 296U	13.5	170	98
	"			" 307U	16.0	161	88

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)				
Wilhelm, L. Vermilion 853-2411	12 month average			(Not Available)			
	AJIU 473R			LWAS 52U	15.5	179	
	"			" 53U	16.4	173	
	"			" 56U	18.7	198	
	"			" 58U	20.2	174	
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	12 month average			152 pigs	(13.5)	(162)	10
	ARHL 311T			ARHL 722U	12.6	166	10
	"			" 723U	12.3	164	11
	"			" 755U	16.8	157	7
	"			" 756U	13.2	163	10
	"			" 757U	13.1	149	12
	"			" 758U	14.5	158	9
	ARHL 832T			" 785U	14.5	154	10
	"			" 786U	18.4	148	6
	"			" 787U	15.9	153	8
	"			" 788U	16.6	154	7
	ARHL 311T			" 805U	13.5	146	12
	"			" 806U	13.0	149	12
	"			" 808U	12.7	147	13
	ARHL 832T			" 826U	14.5	144	11
	ARHL 311T			" 830U	13.0	141	13
	"			" 831U	13.2	148	12
	ARHL 832T			" 836U	13.8	139	13
	"			" 837U	14.3	139	12
	"			" 838U	13.1	138	14
	"			" 853U	15.6	147	9
	"			" 854U	14.6	152	10
Barrett, R. & A. Ponoka 783-5192	12 month average			104 pigs	(15.6)	(136)	10
	ROYS 264S	+2.1	+1.1	ROYS 442U	15.6	147	7
	"	"	"	" 453U	15.3	146	8
	"	"	"	" 463U	16.6	152	5
	"	"	"	" 464U	14.7	144	9
	ROYS 94T			" 470U	14.5	135	11
	"			" 471U	13.5	144	10
	"			" 472U	13.4	138	11
	ROYS 264S	+2.1	+1.1	" 478U	16.7	131	10
	"	"	"	" 479U	16.3	127	11
	"	"	"	" 480U	18.0	132	8

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Duff, D. Fort Saskatchewan 998-3101	12 month average			52 pigs	(15.1)	(153)	100
	MCMC 8T			DUFF 761U	12.9	150	119
	"			" 762U	11.6	144	136
	"			" 822U	12.9	125	157
	"			" 823U	12.5	135	144
	DUFF 544T			" 840U	14.3	126	147
Milne, B. Ponoka 783-6695	12 month average			33 pigs	(13.3)	(146)	100
	FLEV 135S (2)	-1.7	-2.7	MILN 625U	10.9	144	133
	"	"	"	" 626U	11.7	168	94
	"	"	"	" 627U	12.8	147	105
	"	"	"	" 628U	13.3	144	102
	"	"	"	" 629U	10.8	149	128
	"	"	"	" 636U	13.4	157	98
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	DUFF 710T			MCMC 107U	13.6	148	
	ARHL 948S			" 122U	12.2	148	
	"			" 130U	10.8	144	
	"			" 134U	14.5	141	
	"			" 135U	12.5	133	
	"			" 140U	12.6	139	
	DUFF 655T			" 150U	12.4	130	
	"			" 159U	15.6	145	
<u>LACOMBE</u>							
Bloomsbury Farms Bloomsbury 674-3307	12 month average			79 pigs	(16.6)	(148)	100
	BL 15611T			BL 2105U	18.3	136	101
	"			" 2107U	16.6	146	103
	"			" 2108U	15.2	139	128
	"			" 2201U	13.3	143	141
	"			" 2203U	14.8	139	132
	BL 1505T			" 2301U	14.3	139	137
	BL 15613T			" 2402U	15.5	135	131
	"			" 2404U	14.4	141	133
	"			" 2405U	16.1	138	120
	BL 15309T			" 2501U	15.9	137	124
	"			" 2504U	15.7	133	132
	"			" 2505U	18.2	135	104
	"			" 2507U	17.1	132	119
	"			" 2508U	14.5	135	141

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Bloomsbury Farms (continued)	BL 1528T			BL 2602U	13.6	136	149
	"			" 2605U	15.0	138	132
	"			" 2606U	10.6	138	176
	BL 1506T			" 2701U	16.9	128	128
	"			" 2704U	16.9	128	128
	"			" 2705U	14.4	131	149
	"			" 2707U	13.4	135	153
	BL 15309T			" 2806U	15.9	134	129
	BL 15611T			" 3110U	18.3	131	109
	"			" 3111U	17.2	130	122
	"			" 3112U	17.8	130	115
	"			" 3114U	14.8	130	146
	BL 15309T			" 2803U	14.3	143	131
	"			" 2905U	13.2	132	159
	"			" 2906U	16.4	138	117
	"			" 2907U	18.0	138	101
	"			" 2909U	15.5	136	130
	BL 1512T			" 3006U	15.6	137	127
	"			" 3007U	15.4	140	124
	"			" 3008U	14.9	136	136
	"			" 3009U	15.9	137	124
	BL 15611T			" 3102U	15.2	132	139
	"			" 3109U	15.6	146	113
	"			" 3113U	18.0	146	88
	BL 1505T			" 3302U	15.4	140	124
	"			" 3304U	16.2	138	119
	"			" 3305U	16.8	133	121
	"			" 3307U	13.0	140	149
Five Lakes Farms Mayerthorpe 786-4373	12 month average			137 pigs	(14.2)	(154)	100
	KR 1303S	-2.1	+1.1	JA 13104U	12.3	178	84
	JA 110T			" 13502U	12.9	183	70
	JA 420T			" 14001U	13.4	157	104
	KR 1303S	-2.1	+1.1	" 14301U	9.9	154	143
	"	"	"	" 14302U	11.1	160	122
	"	"	"	" 14304U	13.0	157	108
	"	"	"	" 14401U	13.3	150	115
	"	"	"	" 14402U	12.3	156	116
	"	"	"	" 14405U	13.2	152	113
	"	"	"	" 14406U	13.7	150	111
	"	"	"	" 14603U	12.2	148	129
	"	"	"	" 14604U	12.0	150	128

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Gwynne Vista Farms	12 month average			102 pigs	(13.7)	(164)	100
Gwynne							
352-2998	JA 522S	-1.3	+3.3	KR 12802U	9.9	145	175
	"	"	"	" 12804U	13.7	147	130
<u>HAMPSHIRE</u>							
Bloomsbury Farms	12 month average			29 pigs	(14.2)	(163)	100
Bloomsbury							
674-3307	WM 8106T			WM 2601U	11.8	138	156
Brownlee, J.	12 month average			59 pigs	(12.4)	(176)	100
Hairy Hill							
768-2313	AJCM 1242R	+0.4	-0.3	AHKP 427U	14.0	188	61
	"	"	"	" 470U	13.8	152	110
Five Lakes Farms	12 month average			128 pigs	(13.4)	(162)	100
Mayerthorpe							
786-4373	JKAA 1212T			NP 13002U	10.5	178	116
	"			" 13003U	10.1	184	114
	AJCM 1003S	+0.6	-1.3	YAP 13401U	10.3	160	139
	"	"	"	" 13402U	10.7	171	122
	"	"	"	" 13403U	10.4	164	134
	"	"	"	" 13404U	11.4	177	107
	"	"	"	" 13405U	11.5	178	104
	"	"	"	" 13406U	11.4	177	107
	JKAA 351T			JKAA 14201U	11.7	155	128
	"			" 14205U	12.1	151	128
	"			" 14503U	14.3	154	98
Papenhuyzen, C.	12 month average			(Not Available)			
Stony Plain							
963-4358	ASUS 49S	0.0	+12.6	ASUS 257U	11.9	172	
	AHNB 104R	-0.4	+13.9	" 280U	14.7	170	
	"	"	"	" 281U	15.4	181	
	"	"	"	" 282U	13.7	181	
	ASUS 49S	0.0	+12.6	" 293U	13.8	177	
Reiter Farms	12 month average			(Not Available)			
Iron Springs							
738-4472	RITR 776T			RITR 1541U	13.2	147	
	"			" 1542U	12.7	147	
	"			" 1544U	13.0	156	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Rice, R. Ardrossan 998-2794	12 month average			(Not Available)			
	AHPZ 20S	-0.6	-5.5	AHPZ 248U	13.3	174	
	"	"	"	" 250U	12.9	160	
Vandenberg, J. Camrose 672-6177	12 month average			(Not Available)			
	ASCG 63T			ASCG 462U	16.3	145	
<u>DUROC</u>							
Reiter Farms Iron Springs 738-4472	12 month average			(Not Available)			
	HILL 161T			RITR 1515U	12.3	150	
	"			" 1518U	13.4	150	
Vandenberg, J. Camrose 672-6177	12 month average			(Not Available)			
	ARCT 5072T			ASCG 443U	12.9	148	
	ASCG 71T			" 470U	14.8	169	
	"			" 0470U	14.7	161	
	ASCG 145T			" 500U	15.0	165	
	ASCG 156T			" 581U	15.9	133	
	"			" 582U	18.4	140	
<u>CROSSBRED</u>							
Bloomsbury Farms Bloomsbury 674-3307	12 month average			(Not Available)			
	BL 15614T			8 KJ 604U	14.7	135	
	"			" 605U	14.2	131	
	"			" 809U	16.2	141	
	BL 15512T			" 802U	15.9	149	
	"			" 805U	14.5	150	
	"			" 807U	15.0	153	
Braat, J. Coaldale 327-9757	12 month average			80 pigs	(12.8)	(145)	100
	ASDZ 541S	+0.5	-5.2	691U	10.5	147	120
	"	"	"	717U	18.3	142	51
	ARBF 784T			725U	11.1	133	140
	ARBF 656T			737U	11.7	142	117
	ANZI 1712S	-0.8	+8.3	741U	10.2	142	132
	ARBF 656T			748U	11.9	134	130
	"			770U	10.3	130	154
	"			771U	10.1	129	157
	"			772U	10.5	121	169
	"			773U	10.0	121	174

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Morinville Colony Morinville 939-2118	12 month average			47 pigs	(14.1)	(175)	100
	MATT			708U	11.6	163	144
	ARHL 22S	-1.3	-3.6	717U	11.1	155	161
	AREE 10S			719U	13.8	177	102
	"			720U	13.8	177	102
	AREE 0193T			734U	12.6	151	153
	"			735U	11.1	144	177
Ranchview Test Barn Bentley 748-3802	12 month average			1389 pigs	(13.4)	(151)	100
	RFAA 2219S	0.0	-1.0	29310U	11.6	164	93
	RFAA 671P			2951U	15.5	162	50
	"			2956U	13.5	162	74
	RFAA 2165T			2981U	15.4	177	19
	"			2982U	14.4	182	19
	"			2983U	12.9	163	80
	RFAA 11S			3003U	13.0	157	93
	RFAA 1791T			3012U	16.7	168	22
	"			3013U	14.6	178	25
	"			3014U	14.8	172	37
	RFAA 2219S	0.0	-1.0	3021U	12.1	149	120
	"	"	"	3022U	13.5	161	77
	RFAA 110S			3056U	16.7	162	35
	"			3058U	15.2	169	39
	RFAA 2219S	0.0	-1.0	3062U	9.4	151	150
	"	"	"	3063U	14.5	153	81
	RFAA 110S			3072U	13.5	150	102
	"			3074U	12.5	147	120
	"			3075U	13.9	150	96
	RFAA 2219S	0.0	-1.0	3084U	12.7	147	116
	"	"	"	3085U	13.0	155	96
	RFAA 110S			3113U	14.7	153	80
	RFAA 147S			3144U	13.9	146	104
	RFAA 2165T			3171U	12.6	144	126
	RFAA 11S			3001U	14.4	180	23
	RFAA 2219S	0.0	-1.0	3061U	12.9	162	83
	"	"	"	3065U	12.4	162	89
	RFAA 110S			3076U	14.3	151	89
	RFAA 2219S	0.0	-1.0	3081U	12.7	176	55
	"	"	"	3085U	14.3	161	66
	"	"	"	3087U	12.0	162	93
	RFAA 147S			3141U	13.2	157	89
	"			3157U	13.8	172	47
	RFAA 2165T			3172U	12.1	166	83
	"			3173U	12.2	168	78

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Ranchview Test Barn (continued)	RFAA 2219S	0.0	-1.0	3193U	15.5	150	76
	RFAA 3523T			3202U	12.3	153	108
	"			3203U	14.4	152	86
	"			3204U	16.0	147	77
	RFAA 11S			3221U	13.1	158	88
	"			3222U	13.1	161	82
	"			3224U	13.5	154	91
	RFAA 2162T			3282U	13.2	156	91
	"			3286U	14.2	149	94
	"			3287U	12.4	161	90
	RFAA 3523T			3291U	12.3	150	116
	"			3293U	14.7	152	82
	"			3295U	12.5	145	125
	"			3296U	14.0	154	86
	"			3297U	13.9	148	100
	RFAA 1278N			3481U	14.0	142	114
	RFAA 2162T			3285U	12.6	168	73
	RFAA 110S			30510U	11.3	173	79
	RFAA 147S			3137U	12.0	160	98
	"			3155U	12.3	168	76
	RFAA 11S			3163U	11.8	174	70
	"			3182U	13.5	169	59
	RFAA 2219S	0.0	-1.0	3191U	15.9	159	53
	RFAA 147S			3234U	12.0	157	104
	RFAA 2162T			3242U	12.9	156	96
	"			3245U	12.9	168	69
	RFAA 11S			3261U	11.0	156	118
	"			3262U	12.6	171	66
	RFAA 111S			3321U	14.2	156	78
	"			3326U	16.3	149	69
	"			3331U	14.4	151	87
	"			3334U	15.0	157	67
	"			3338U	13.8	159	77
	RFAA 3523T			3342U	12.0	148	124
	"			3343U	12.0	156	106
	"			33413U	13.1	157	91
	"			33414U	13.6	164	69
	RFAA 1791T			3372U	12.8	154	102
	"			03372U	13.3	160	82
	RFAA 1258T			3401U	16.3	145	78
	RFAA 1791T			3412U	15.6	148	79
	"			3413U	12.6	147	119
	RFAA 147S			3431U	12.7	146	118
	"			3455U	12.1	148	123
	"			3464U	14.6	141	107
	RFAA 1278N			3483U	11.8	143	138

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Ranchview Test Barn (continued)	RFAA 1278N			3484U	12.6	150	112
	RFAA 147S			3501U	12.4	139	137
	"			3502U	12.9	139	132
	"			3503U	11.1	148	134
	"			3504U	12.9	139	132
	"			3511U	15.4	139	102
	"			3512U	12.5	140	136
	"			3513U	17.1	139	81
Reiter Farms Iron Springs 738-4472	12 month average			22 pigs	(13.3)	(149)	100
	AHKP 580T			8 CB 1601U	10.7	136	156
	"			" 1602U	12.1	132	149
Vandenberg, J. Camrose 672-6177	12 month average			(Not Available)			
	ASCG 63T			511U	18.7	150	
	"			521U	12.9	133	
	"			522U	12.5	136	
	"			523U	13.7	145	
	"			524U	13.8	138	
	"			527U	13.6	148	
	ASCG 135T			591U	16.1	146	
West, N. & T.J. Radway 736-3790	12 month average			(Not Available)			
	ATED 53S	0.0	-0.3	1354U	11.6	175	
	ATED 98S	-0.2	+0.8	1361U	11.0	170	
	"	"	"	1408U	11.8	166	
Woelk Farms, Unit #2 Millet 387-4801	12 month average			(Not Available)			
	GWYN 11404R			12002U	18.3	157	

GILTS

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	161	14.9	165	Feb 16 - Mar 15	17	14.8	150
Barrett, R. & A. Ponoka 783-5192	(Not Available)			"	3	15.6	163
Bloomsbury Farms Bloomsbury 674-3307	39	16.7	163	"	3	19.7	145
Braat, J. Coaldale 327-9757	300	12.0	154	"	18	12.5	150
Brownlee, J. Hairy Hill 768-2313	73	14.9	165	"	2	15.0	167
Eringfeld, B. Coaldale 345-3420	124	15.5	171	"	12	13.2	181
Five Lakes Farms Mayerthorpe 786-4373	237	15.1	169	"	24	14.1	169
Gwynne Vista Farms Gwynne 352-2998	97	15.1	175	"	12	12.5	175
Knobben, G. Jarvie 954-2125	46	13.8	159	"	5	15.0	178
Knobben, J. Jarvie 954-2647	88	13.2	152	"	4	13.0	165
Maschmeyer, G. Bruderheim 998-2845	25	14.5	146	"	1	17.0	149

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Matejka, G. Sylvan Lake 887-2656	415	14.8	173	Feb 16 - Mar 16	16	14.0	172
Milne, B. Ponoka 783-6695	186	15.7	159	"	9	14.1	151
Morinville Colony Morinville 939-2118	(Not Available)			"	2	13.0	154
Papenhuyzen, C. Stony Plain 963-4358	22	19.4	163	"	5	17.6	184
Reiter Farms Iron Springs 738-4472	198	15.3	161	"	34	12.3	153
Rice, R. Ardrossan 998-2794	41	14.9	169	"	7	15.2	154
Turko, D. Newbrook 576-2315	36	15.6	152	"	3	15.7	167
Vandenberg, J. Camrose 672-6177	24	16.1	148	"	4	15.5	152
West, N. & T.J. Radway 736-3790	33	15.5	170	"	8	14.3	166
Wilhelm, L. Vermilion 853-2411	(Not Available)			"	4	17.4	181
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	208	14.0	163	"	27	14.4	150

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Barrett, R. & A. Ponoka 783-5192	158	16.9	144	Feb 16 - Mar 15	10	16.5	145
Braat, J. Coaldale 327-9757	50	14.7	156	"	4	13.8	131
Duff, D. Fort Saskatchewan 998-3101	115	15.0	157	"	6	15.2	143
Lakeland College Vermilion 853-8597, Ext. 597	107	15.6	166	"	6	17.6	154
Milne, B. Ponoka 783-6695	43	14.5	148	"	6	13.4	150
Morinville Colony Morinville 939-2118	22	14.3	155	"	4	13.5	152
<u>LACOMBE</u>							
Bloomsbury Farms Bloomsbury 674-3307	90	16.8	156	"	36	15.9	141
Five Lakes Farms Mayerthorpe 786-4373	133	16.0	167	"	8	13.4	168
Gwynne Vista Farms Gwynne 352-2998	139	15.0	172	"	11	13.8	173
<u>HAMPSHIRE</u>							
Brownlee, J. Hairy Hill 768-2313	55	13.2	174	"	6	13.7	198

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Five Lakes Farms Mayerthorpe 786-4373	114	14.4	172	Feb 16 - Mar 15	9	12.2	167
Morinville Colony Morinville 939-2118	(Not Available)			"	2	12.7	170
Papenhuyzen, C. Stony Plain 963-4358	32	14.0	176	"	3	15.0	168
Reiter Farms Iron Springs 738-4472	(Not Available)			"	3	12.7	158
Rice, R. Ardrossan 998-2794	(Not Available)			"	1	11.9	167
Vandenberg, J. Camrose 672-6177	(Not Available)			"	1	13.1	149
<u>CROSSBRED</u>							
Baert, M. Barrhead 674-3953	147	17.3	147	"	14	15.0	147
Bloomsbury Farms Bloomsbury 674-3307	54	16.2	165	"	11	17.3	146
Gwynne Vista Farms Gwynne 352-2998	186	15.2	170	"	11	14.2	157
Lepp, S. Wembley 766-2583	148	16.0	172	"	29	15.3	186
Milne, B. Ponoka 783-6695	299	15.6	155	"	43	13.4	156

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Morinville Colony Morinville 939-2118	220	15.3	180	Feb 16 - Mar 15	26	13.9	170
Olds College Olds 556-8393	467	15.6	161	"	46	14.9	153
West, N. & T.J. Radway 736-3790	213	16.8	164	"	45	16.2	155
Woelk Farms, Unit #1 Millet 387-4801	91	18.3	176	"	12	17.6	175
Woelk Farms, Unit #2 Millet 387-4801	95	17.1	177	"	12	17.3	163

Alberta Swine Improvement Program

CANADIANA

APR 13 1987

HOME TEST REPORT
March 16 - 31, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire and of their relatives compared to all other sires and dams in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The greater the positive EBV's the greater the likelihood the sire's progeny will show genetic increase in backfat and/or growth rate. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are available for dams from the breeders on the program. The Pork Industry Branch also has EBV's from other regions in Canada.

How To Use This Report

(See Reverse)



How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

BOARS

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
YORKSHIRE							
Agra Farms Ltd. Okotoks 938-7741	12 month average			135 pigs	(14.3)	(162)	100
	ARHL 827T			ARHL 848U	13.8	166	101
	"			" 849U	14.4	157	106
	"			" 874U	10.3	142	186
	"			" 875U	13.0	142	148
	ARHL 521T			" 882U	15.8	143	110
	"			" 883U	16.1	132	121
	ARHL 827T			" 890U	13.1	129	167
	ARHL 521T			" 903U	17.7	127	109
Bloomsbury Farm Bloomsbury 674-3307	12 month average			31 pigs	(15.4)	(161)	100
	WM 8210T			WM 2805U	16.9	155	86
	"			" 2806U	14.1	152	118
	WM 8211T			" 2903U	18.9	151	83
	"			" 2906U	16.1	142	107
	WM 8209T			" 3007U	12.6	140	144
	"			" 3008U	12.5	143	147
	WM 8210T			" 3104U	15.3	150	107
	"			" 3105U	12.7	144	139
	"			" 3106U	17.4	150	85
Braat, J. Coaldale 327-9757	12 month average			124 pigs	(11.4)	(147)	100
	ADBM 1R (2)	+0.5	-9.0	ARBF 733U	8.6	163	104
	ANZI 3863P	-1.8	+7.5	" 743U	11.3	153	91
	"	"	"	" 744U	9.5	147	124
	ARBF 784T			" 760U	8.3	159	110
	"			" 761U	10.8	160	83
	ANZI 1712S	-0.8	+8.3	" 765U	7.7	158	124
	"	"	"	" 766U	10.0	150	111
	ANZI 3863P	-1.8	+7.5	" 793U	10.8	131	137
	"	"	"	" 794U	9.0	133	155
	"	"	"	" 795U	11.5	136	119
	"	"	"	" 813U	10.2	138	132
	"	"	"	" 814U	11.1	145	107
	ARBF 784T			" 819U	12.2	136	117
	"			" 821U	7.7	135	168

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Brownlee, J. Hairy Hill 768-2313	12 month average			70 pigs	(13.8)	(162)	100
	KKEF 1930T			AHKP 477U	11.1	183	100
	AHKP 0850S			" 525U	14.8	147	108
	"			" 526U	12.7	144	135
	KKEF 1930T			" 534U	12.0	178	98
	"			" 0534U	11.6	135	161
Eringsfield, B. Coaldale 345-3420	12 month average			74 pigs	(14.3)	(163)	100
	AOGK 523T			AOGK 622U	10.4	200	93
	KKEF 1304R	-1.8	+0.7	" 701U	14.5	159	102
	AOGK 523T			" 721U	12.0	151	141
	"			" 722U	12.0	172	113
Five Lakes Farms Mayerthorpe 786-4373	12 month average			233 pigs	(13.7)	(159)	100
	JKAA 0792P	-0.2	-1.2	JKAA 14802U	12.3	164	100
	RITR 964T			" 15001U	13.6	160	100
	"			" 15005U	13.0	169	97
	"			" 15006U	14.1	175	79
	"			" 15008U	12.2	164	110
	JKAA 1351T			" 15101U	10.7	172	117
	"			" 15102U	12.6	179	90
	"			" 15104U	13.5	172	88
	JKAA 1410T			" 15202U	10.0	161	136
	RITR 964T			" 15705U	11.0	165	121
	JKAA 0792P	-0.2	-1.2	" 15901U	13.6	155	105
	JKAA 982S	+0.3	-3.9	" 16002U	14.8	158	90
	"	"	"	" 16004U	13.3	156	107
	"	"	"	" 16006U	13.8	152	107
Gwynne Vista Farms Gwynne 352-2998	12 month average			67 pigs	(14.5)	(169)	100
	GWYN 3003T	-1.9	-4.1	GWYN 11902U	10.7	186	100
	GWYN 14308T			" 12501U	12.9	193	71
	"			" 12502U	12.9	197	61
	"			" 12503U	13.2	191	74
	"			" 12504U	14.2	198	51
	"			" 12505U	13.7	179	90
	GWYN 3003T	-1.9	-4.1	" 12902U	15.5	185	60
	"	"	"	" 12906U	13.2	169	110
	"	"	"	" 12907U	12.6	165	121
	"	"	"	" 13101U	12.5	173	105
	"	"	"	" 13502U	12.6	170	111
	GWYN 14308T			" 13702U	9.9	168	131

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Knobben, G. Jarvie 954-2125	12 month average			53 pigs	(12.8)	(153)	100
	ARHL 632T			GARY 394U	11.8	153	112
	AREE 352S	+2.3	-7.8	" 401U	12.8	141	122
	"	"	"	" 402U	12.1	148	117
	"	"	"	" 403U	13.8	164	65
	GARY 42S	+2.3	-5.8	" 411U	11.4	138	146
	"	"	"	" 412U	12.6	138	131
	AREE 0194T			" 430U	12.5	144	121
	"			" 431U	14.7	136	109
Knobben, J. Jarvie 954-2647	12 month average			93 pigs	(12.8)	(153)	100
	GARY 42S	+2.3	-5.8	AREE 553U	14.8	180	17
	"	"	"	" 556U	11.2	167	87
	AREE 91R	-0.3	+0.3	" 562U	10.7	157	113
	ARHL 632T			" 572U	10.1	158	118
	"			" 573U	14.7	160	58
	AREE 91R	-0.3	+0.3	" 582U	11.0	144	133
	"	"	"	" 586U	11.0	155	120
	"	"	"	" 590U	11.5	146	12
	"	"	"	" 593U	12.9	155	90
Milne, B. Ponoka 783-6695	12 month average			137 pigs	(14.2)	(152)	100
	MILN 388T			MILN 646U	13.3	159	99
	"			" 647U	11.6	151	137
	"			" 650U	13.9	167	78
	MILN 678T			" 655U	10.8	152	147
	"			" 656U	13.1	161	99
	KKEF 2332T (1)			" 672U	14.3	156	91
	"			" 673U	13.3	157	102
	"			" 674U	13.2	153	111
	"			" 675U	14.5	154	92
	"			" 676U	14.8	142	108
	"			" 677U	12.7	160	105
	"			" 693U	12.8	149	125
	"			" 694U	10.9	140	167
	"			" 695U	12.0	151	132
	"			" 728U	13.4	141	130
	"			" 729U	13.5	152	110
	"			" 730U	15.2	146	97
	"			" 731U	15.5	147	89
	"			" 732U	15.0	151	91
	YRZN 575T (1)			" 737U	13.2	153	111
	"			" 740U	13.4	151	112

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Milne, B. (continued)	YRNZ 575T (1)			MILN 753U	16.1	139	96
	MILN 678T			" 764U	15.4	138	108
	"			" 765U	14.7	137	119
	"			" 766U	15.0	139	111
	"			" 767U	13.6	128	151
Reiter Farms Iron Springs 738-4472	12 month average			102 pigs	(14.0)	(155)	100
	KKEF 1053S	-2.5	-5.0	RITR 1495U	12.0	170	93
	RITR 924T			" 1555U	11.6	162	108
	"			" 1556U	10.2	159	121
	KKEF 1053S	-2.5	-5.0	" 1585U	12.6	164	97
	ACUT 297T			" 1623U	13.7	162	91
	"			" 1636U	11.3	151	128
	KKEF 1053S	-2.5	-5.0	" 1661U	12.0	155	116
	"	"	"	" 1663U	9.0	156	138
Rice, R. Ardrossan 998-2794	12 month average			34 pigs	(14.2)	(165)	100
	AMBW 514S (1)			AHPZ 266U	16.1	165	79
	"			" 269U	15.8	186	58
	"			" 270U	16.7	174	61
	AHPZ 26S	-0.8	+4.3	" 273U	13.3	153	121
	"	"	"	" 288U	14.4	172	81
	"	"	"	" 289U	15.4	152	101
	"	"	"	" 290U	16.9	155	81
Roeske, M. Alcomdale 939-4938	12 month average			45 pigs	(15.4)	(151)	100
	KKEF 2332T (1)			ROSE 422U	14.1	171	71
	"			" 424U	12.5	158	111
	"			" 427U	12.4	169	91
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	12 month average			152 pigs	(13.5)	(162)	100
	ARHL 832T			ARHL 855U	15.5	159	81
	"			" 856U	14.8	172	71
	"			" 857U	14.2	154	101
	"			" 858U	15.7	163	71
	"			" 867U	13.1	151	121
Braat, J. Coaldale 327-9757	12 month average			37 pigs	(13.5)	(148)	100
	ASDZ 541S	+0.5	-5.2	ARBF 803U	13.9	138	111
	"	"	"	" 804U	15.4	143	91
	"	"	"	" 805U	15.0	138	101

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Eringsfield, B. Coalddale 345-3420	12 month average			(Not Available)			
	AOGK 732R			AOGK 661U	12.8	169	
	"			" 662U	14.3	168	
	"			" 663U	15.0	167	
Knobben, G. Jarvie 954-2125	12 month average			(Not Available)			
	GARY 31T			GARY 560U	10.2	164	
	"			" 561U	10.3	180	
Lakeland College Vermillion 853-8597, Ext.597	12 month average			75 pigs	(14.5)	(165)	100
	DLDA 557S (1)			ATAT 618U	20.4	174	27
	"			" 620U	16.1	153	102
	"			" 624U	13.8	162	112
	"			" 644U	16.2	156	96
	DASA 871S	+0.5	-9.4	" 652U	15.8	163	90
	"	"	"	" 653U	14.1	163	107
	ARHL 313T (1)			" 663U	14.2	161	111
	DASA 871S	+0.5	-9.4	" 678U	15.9	144	116
	JBFA 2S (1)	-1.0	-13.4	" 690U	15.8	142	121
	"	"	"	" 695U	13.8	145	136
	"	"	"	" 696U	15.8	143	119
Milne, B. Ponoka 783-6695	12 month average			33 pigs	(13.3)	(146)	100
	DLDA 557S (1)	-0.1	-6.0	MILN 703U	10.5	136	147
	"	"	"	" 704U	13.2	162	82
	"	"	"	" 705U	12.8	155	96
	"	"	"	" 708U	16.6	144	60
	AOUD 729T (1)			" 712U	11.3	144	128
	"			" 713U	13.2	154	92
	"			" 714U	11.1	155	117
	"			" 715U	10.5	143	139
	"			" 716U	11.8	161	100
	"			" 717U	12.5	153	102
	"			" 718U	11.0	154	120
	"			" 719U	12.1	154	106
	"			" 725U	15.2	156	64
Morinville Colony Morinville 939-2118	12 month average			(Not Available)			
	DUFF 710T			MCMC 109U	12.3	178	
	MCMC 021T			" 154U	13.1	149	
	ARHL 981S			" 160U	12.9	144	
	"			" 161U	12.9	138	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)				
West, N. & T.J. Radway 736-3790	12 month average			(Not Available)			
	MCMC 13T			LAST 12U	21.0	149	
	"			" 13U	22.5	147	
<u>LACOMBE</u>							
Bloomsbury Farms Bloomsbury 674-3307	12 month average			79 pigs	(16.6)	(148)	100
	BL 15611T			BL 3115U	13.5	153	12
	BL 1505T			" 3309U	10.6	145	16
	"			" 3310U	16.3	147	10
	"			" 3401U	14.1	141	13
	"			" 3402U	11.6	136	16
Five Lakes Farms Mayerthorpe 786-4373	12 month average			137 pigs	(14.2)	(154)	100
	JA 110T			JA 15601U	10.8	170	17
	"			" 15604U	13.3	166	9
	KR 1303S	-2.1	+1.1	" 15803U	11.5	163	11
	"	"	"	" 15805U	11.4	157	12
	"	"	"	" 16501U	12.1	150	12
	"	"	"	" 16502U	10.3	148	17
	"	"	"	" 16506U	10.2	158	13
<u>HAMPSHIRE</u>							
Bloomsbury Farms Bloomsbury 674-3307	12 month average			29 pigs	(14.2)	(163)	100
	WM 8106T			WM 2602U	14.1	154	11
	WM 8305T			" 2701U	11.1	138	16
	"			" 2702U	12.1	139	14
	"			" 2704U	13.4	146	12
	WM 8105T			" 3202U	12.4	150	13
	"			" 3203U	13.1	139	13
Braat, J. Coaldale 327-9757	12 month average			(Not Available)			
	ARBF 656T			ARBF 825U	11.7	140	
	"			" 826U	13.2	142	
	"			" 827U	13.1	138	
	"			" 849U	13.6	143	
	"			" 850U	14.3	141	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Brownlee, J. Hairy Hill 768-2313	12 month average			59 pigs	(12.4)	(176)	100
	AJCM 1242R	+0.4	-0.3	AHKP 503U	10.9	151	153
	JKAA 811R	+0.4	-3.1	" 513U	9.5	166	154
	"	"	"	" 515U	9.5	166	154
Five Lakes Farms Mayerthorpe 786-4373	12 month average			128 pigs	(13.4)	(162)	100
	JKAA 351T			JKAA 14204U	11.5	180	102
<u>DUROC</u>							
Braat, J. Coaldale 327-9757	12 month average			25 pigs	(12.8)	(151)	100
	ARBF 64T			ARBF 790U	10.1	145	149
	"			" 791U	11.5	130	168
Reiter Farms Iron Springs 738-4472	12 month average			(Not Available)			
	HILL 161T			RITR 1510U	10.4	167	
	"			" 1519U	11.8	174	
Rice, R. Ardrossan 998-2794	12 month average			28 pigs	(13.9)	(170)	100
	AHPZ 113T			AHPZ 255U	13.1	172	103
	"			" 256U	15.4	187	54
	"			" 258U	13.7	173	97
	"			" 259U	14.3	165	106
<u>CROSSBRED</u>							
Braat, J. Coaldale 327-9757	12 month average			80 pigs	(12.8)	(145)	100
	ARBF 656T			735U	11.1	157	95
	"			809U	10.3	143	130
	"			810U	14.1	136	104
	ASDZ 541S	+0.5	-5.2	831U	13.3	133	118
	"	"	"	832U	12.6	124	143
	"	"	"	833U	16.8	122	104
Groot, C. Neerlandia 674-4077	12 month average			121 pigs	(14.7)	(167)	100
	1762			5065U	11.1	160	152
	61			5073U	13.1	169	115
	3083			5080U	10.6	171	140
	"			5083U	13.3	176	101

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)				
Groot, C. (continued)	3083			5084U	12.9	173	111
	"			5088U	12.6	171	118
	3083			5101U	12.1	178	112
	"			5103U	12.9	168	119
	"			5107U	13.7	164	115
	3925			5133U	15.9	162	93
	3925			5135U	12.6	162	131
	1762			5182U	11.0	149	171
	3083			5241U	15.4	136	141
Ranchview Test Barn Bentley 748-3802	12 month average			1389 pigs	(13.4)	(151)	100
	RFAA 11S			3301U	13.8	163	68
	"			3311U	14.1	174	40
	RFAA 111S			3332U	13.5	167	64
	RFAA 147S			3354U	11.7	157	108
	RFAA 1278N			3361U	12.6	163	84
	"			3364U	13.7	153	91
	RFAA 2219S	0.0	-1.0	3382U	13.2	154	96
	"	"	"	3383U	12.9	151	106
	"	"	"	3386U	12.0	151	116
	RFAA 110S			3391U	13.4	170	58
	"			3392U	11.7	162	96
	RFAA 1258T			3404U	12.6	161	88
	RFAA 1791T			3413U	13.5	154	94
	"			3414U	12.5	156	101
	RFAA 110S			3421U	13.1	157	91
	RFAA 3271T			3441U	13.5	152	96
	"			3442U	12.1	149	120
	"			3444U	14.7	154	78
				03441U	14.2	156	78
	RFAA 147S			3465U	12.0	148	124
	"			3466U	13.1	149	108
	RFAA 1278N			3483U	13.4	151	101

GILTS

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	161	14.9	165	March 16 - 31	7	15.6	154
Bloomsbury Farms Bloomsbury 674-3307	39	16.7	163	"	9	17.3	143
Braat, J. Coaldale 327-9757	300	12.0	154	"	17	12.1	152
Brownlee, J. Hairy Hill 768-2313	73	14.9	165	"	5	14.8	160
Eringfield, B. Coaldale 345-3420	124	15.5	171	"	8	13.0	186
Five Lakes Farms Mayerthorpe 786-4373	237	15.1	169	"	12	13.8	167
Gwynne Vista Farms Gwynne 352-2998	97	15.1	175	"	20	15.6	164
Knobben, G. Jarvie 954-2125	46	13.8	159	"	1	13.2	142
Knobben, J. Jarvie 954-2647	88	13.2	152	"	2	11.5	160
Milne, B. Ponoka 783-6695	186	15.7	159	"	19	14.9	153
Reiter Farms Iron Springs 738-4472	198	15.3	161	"	22	12.9	160

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Rice, R. Ardrossan 998-2794	41	14.9	169	March 16 - 31	7	14.4	165
Roeske, M. Alcomdale 939-4938	206	17.2	166	"	13	15.0	159
West, N. & T.J. Radway 736-3790	33	15.5	170	"	2	18.7	159
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	208	14.0	163	"	9	15.5	156
Braat, J. Coaldale 327-9757	50	14.7	156	"	3	14.1	142
Eringfeld, B. Coaldale 345-3420	22	17.3	175	"	1	13.6	186
Lakeland College Vermilion 853-8597, Ext. 597	107	15.6	166	"	22	15.2	156
Milne, B. Ponoka 783-6695	43	14.5	148	"	4	14.4	150
Morinville Colony Morinville 939-2118	22	14.3	155	"	3	13.7	166
Reiter Farms Iron Springs 738-4472	(Not Available)			"	1	11.5	151
West, N. & T.J. Radway 736-3790	(Not Available)			"	1	18.6	143

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>LACOMBE</u>							
Bloomsbury Farms Bloomsbury 674-3307	90	16.8	156	March 16 - 31	11	16.3	149
Five Lakes Farms Mayerthorpe 786-4373	133	16.0	167	"	3	13.5	154
<u>HAMPSHIRE</u>							
Bloomsbury Farms Bloomsbury 674-3307	39	14.1	175	"	7	13.7	151
Braat, J. Coaldale 327-9757	20	14.6	145	"	2	14.5	140
Brownlee, J. Hairy Hill 768-2313	55	13.2	174	"	1	12.2	171
Five Lakes Farms Mayerthorpe 786-4373	114	14.4	172	"	1	9.4	179
<u>DUROC</u>							
Braat, J. Coaldale 327-9757	24	13.5	156	"	2	12.8	140
Rice, R. Ardrossan 998-2794	(Not Available)			"	1	17.4	180
<u>CROSSBRED</u>							
Braat, J. Coaldale 327-9757	77	14.2	151	"	3	13.1	138
Eringfeld, B. Coaldale 345-3420	(Not Available)			"	5	14.8	176

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AV AG
Groot, C. Neerlandia 674-4077	145	15.4	169	March 16 - 31	9	15.7	16
Gwynne Vista Farms Gwynne 352-2998	186	15.2	170	"	11	14.9	16
Milne, B. Ponoka 783-6695	299	15.6	155	"	14	14.4	15
Morinville Colony Morinville 939-2118	220	15.3	180	"	13	13.6	16
Old House Farms Neerlandia 674-5453	145	14.3	171	"	16	12.7	17
Olds College Olds 556-8393	467	15.6	162	"	24	15.1	16
West, N. & T.J. Radway 736-3790	213	16.8	164	"	12	19.6	17
Wierenga, C. Neerlandia 674-5904	211	15.7	175	"	9	13.8	17

Alberta Swine Improvement Program

CANADIAN

APR 30 1987

HOME TEST REPORT April 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

/2 . . .



Agriculture
Canada

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDEX
YORKSHIRE								
raat, J. oaldale 27-9757	12 month average				112 pigs	(11.9)	(147)	100
	ANZI 1712S	-1.4	-1.3	130	ARBF 800U	8.1	161	118
	ANZI 3863P	-2.0	7.8	106	" 815U	8.2	156	127
	"	"	"	"	" 872U	10.8	140	126
	"	"	"	"	" 908U	11.0	122	158
rownlee, J. airy Hill 68-2313	12 month average				71 pigs	(14.5)	(163)	100
	AHKP 0850S	+0.5	-6.2	114	AHKP 524U	17.0	170	69
	"	"	"	"	" 0530U	13.5	182	86
	"	"	"	"	" 0531U	11.9	169	116
	"	"	"	"	" 0533U	11.1	171	121
	"	"	"	"	" 0536U	14.1	182	81
	"	"	"	"	" 553U	12.0	148	142
	"	"	"	"	" 544U	10.2	145	161
	"	"	"	"	" 555U	13.9	148	125
ringfield, B. oaldale 45-3420	12 month average				68 pigs	(14.1)	(163)	100
	KKEF 3447S	-1.2	-1.7	129	AOGK 763U	11.6	179	107
	AOGK 371T	-0.9	-6.7	143	" 771U	10.5	173	129
	KKEF 3447S	-1.2	-1.7	129	" 822U	12.0	181	99
aschmeyer, D. ruderheim 98-2845	12 month average				55 pigs	(13.9)	(146)	100
	DOUG 800U				DOUG 244U	11.6	152	111
	"				" 245U	14.3	157	79
	"				" 246U	13.2	145	108
	"				" 247U	17.1	143	75
	HILL 54T	-0.3	-0.4	106	" 254U	12.0	139	129
	"	"	"	"	" 255U	11.7	140	131
aschmeyer, G. ruderheim 98-2845	12 month average				30 pigs	(13.9)	(139)	100
	DOUG 800U				HILL 186U	20.2	147	32
atejka, G. ylvan Lake 87-2656	12 month average				143 pigs	(13.7)	(154)	100
	NPD 8714T (1)				KKEF 2514U	13.6	184	49
	"				" 2517U	13.8	185	45
	"				" 2520U	14.6	177	50

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDE
Matejka, G. (continued)	NPD 8714T (1)				KKEF 2522U	13.4	169	76
	"				" 2533U	11.4	184	70
	"				" 2534U	13.3	180	59
	"				" 2535U	12.4	183	62
	"				" 2537U	13.1	179	63
	RITR 33U				" 2551U	15.6	167	59
	DOUG 354T				" 2560U	10.8	154	128
	"				" 2565U	9.8	154	138
	"				" 2567U	8.9	155	145
	"				" 2568U	12.5	156	108
	KKEF 2701S	-1.5	-9.1	162	" 2573U	11.6	152	123
	"	"	"	"	" 2574U	14.7	156	87
	RITR 655S	-2.4	-2.6	154	" 2581U	12.7	153	111
McCarthy, J. Lindale 542-4531	12 month average				24 pigs	(14.9)	(146)	100
	NPD 8714T (1)				ASZT 283U	14.1	139	129
	"				" 284U	15.9	143	90
Milne, B. Ponoka 783-6695	12 month average				128 pigs	(14.1)	(149)	100
	YRZN 575T (1)				MILN 792U	13.3	143	122
	"				" 793U	13.3	146	117
	"				" 794U	12.9	134	147
Morinville Colony Morinville 939-2118	12 month average				(Not Available)			
	JKAA 1061T				MCMC 60U	13.8	134	
	"				" 62U	16.5	133	
Reiter Farms Iron Springs 738-4472	12 month average				123 pigs	(13.0)	(152)	100
	KKEF 1053S	-2.6	-1.1	150	RITR 1724U	12.7	149	109
	RITR 664T	-1.8	-4.5	149	" 1733U	14.1	161	72
	"	"	"	"	" 1734U	9.8	146	141
	"	"	"	"	" 1735U	13.4	148	104
	JKAA 562S	0.0	-8.9	135	" 1744U	12.8	150	106
	"	"	"	"	" 1745U	13.6	155	89
	RITR 664T	-1.8	-4.5	149	" 1755U	12.4	143	122
	"	"	"	"	" 1756U	12.6	160	89
	"	"	"	"	" 1757U	14.5	142	105
	KKEF 1053S	-2.6	-1.0	150	" 1764U	10.4	152	125
	JKAA 562S	0.0	-8.9	135	" 1773U	12.2	141	127
	"	"	"	"	" 1774U	12.2	152	108
	"	"	"	"	" 1776U	11.4	150	119

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDEX
		FAT (MM)	AGE (DAYS)						
Witter Farms (continued)	KKEF 1053S	-2.6	-1.1	150	RITR 1785U	10.8	148		126
	"	"	"	"	" 1786U	9.8	137		157
Weske, M. Comdale 9-4938	12 month average				46 pigs	(15.1)	(150)		100
	ROSE 336T	-1.1	-1.6	127	ROSE 470U	14.7	139		121
	AMBW 166T (2)				" 498U	14.4	133		134
	"				" 500U	16.2	141		104
	"				" 501U	13.1	141		131
	KKEF 532T	-0.1	-6.0	126	" 504U	13.8	141		126
	"	"	"	"	" 505U	15.7	148		97
	AMBW 278P (2)				" 511U	11.5	144		141
Wendenberg, J. Mrose 2-6177	12 month average				23 pigs	(15.2)	(145)		100
	ASCG 54T	+1.5	-6.4	98	ASCG 622U	16.0	143		95
	ASCG 180T				" 630U	15.2	144		104
	"				" 633U	15.0	145		103
	"				" 635U	14.7	138		116
Werner Farms Ltd. Wester 2-2572	12 month average				(Not Available)				
	AWGF 602T				AWGF 754U	14.1	183		
	"				" 755U	13.1	191		
	"				" 788U	14.1	162		
	"				" 789U	12.4	160		
	"				" 0780U	17.1	160		
	MILN 293S	-0.9	+5.4	95	" 854U	12.2	147		
	"	"	"	"	" 855U	19.1	160		
	"	"	"	"	" 865U	14.8	156		
	"	"	"	"	" 866U	13.7	162		
<u>LANDRACE</u>									
Schmeyer, G. Wunderheim 8-2845	12 month average				25 pigs	(13.7)	(138)		100
	HILL 15S	+1.4	+6.7	51	HILL 65U	14.6	140		83
	"	"	"	"	" 66U	14.1	156		54
	"	"	"	"	" 67U	11.7	141		121
	"	"	"	"	" 68U	14.2	153		60
Carthy, K. Wendale 2-4531	12 month average				(Not Available)				
	JBFA 2S (1)	-1.2	-10.0	158	KATH 43U	15.6	125		
	"	"	"	"	" 44U	12.1	125		
	"	"	"	"	" 45U	15.6	127		

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)					
Milne, B. Ponoka 783-6695	12 month average				41 pigs	(13.6)	(148)	100
	ARHL 313T (1)	-1.6	-0.8	129	MILN 770U	12.4	128	144
	"	"	"	"	" 771U	14.8	146	84
	"	"	"	"	" 772U	12.4	133	138
	"	"	"	"	" 774U	13.7	146	101
Reiter Farms Iron Springs 738-4472	12 month average				(Not Available)			
	TONY 1061S	-1.7	1.9	120	RITR 1714U	10.4	161	
	"	"	"	"	" 1715U	11.9	161	
Wakeena Farm Bentley 748-4252	12 month average				(Not Available)			
	ROYS 43S	+0.2	+4.6	80	KEEN 234U	15.2	152	
	"	"	"	"	" 235U	14.1	155	
<u>HAMPSHIRE</u>								
Braat, J. Coaldale 327-9757	12 month average				26 pigs	(14.5)	(148)	100
	ARBF 656T	-0.8	-7.3	149	ARBF 848U	13.9	168	74
Brownlee, J. Hairy Hill 768-2313	12 month average				51 pigs	(12.7)	(176)	100
	AJCM 1242R	+0.5	-0.8	85	AHKP 504U	11.4	177	117
	JKAA 811R	-0.1	-1.9	109	" 512U	10.1	192	116
	"	"	"	"	" 540U	11.1	180	116
<u>DUROC</u>								
Braat, J. Coaldale 327-9757	12 month average				24 pigs	(13.1)	(155)	100
	ARBF 64T	-0.9	-0.6	125	ARBF 840U	12.9	141	127
	"	"	"	"	" 842U	11.9	141	136
	"	"	"	"	" 843U	8.8	138	172
	"	"	"	"	" 844U	14.7	141	109
	"	"	"	"	" 891U	14.0	127	139
	"	"	"	"	" 893U	15.0	138	111
Maschmeyer, G. Bruderheim 998-2845	12 month average				45 pigs	(14.2)	(150)	100
	HILL 65T	+0.8	-5.0	106	HILL 215U	14.5	158	86
	"	"	"	"	" 216U	14.5	158	86
	"	"	"	"	" 217U	13.8	169	77

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDEX
		FAT (MM)	AGE (DAYS)						
Wufeld Farms	12 month average				58 pigs	(13.8)	(164)		100
me									
46-3969	NEUF 180T				NEUF 243U	14.1	158		104
	AOUD 858T (1)				" 249U	15.0	175		64
	NEUF 180T				" 257U	13.8	181		75
	"				"	259U	12.9		169
<u>CROSSBRED</u>									
Wart, M.	12 month average				(Not Available)				
Warrhead									
74-3953	ARHL 313T (1)	-1.6	-0.8	129	8MB 102U	12.4	150		
	"	"	"	"	" 107U	11.0	150		
	"	"	"	"	" 111U	12.0	161		
Woot, C.	12 month average				116 pigs	(14.4)	(166)		100
Werlandia									
74-4077	3925				5160U	12.1	182		100
	"				5230U	14.3	163		105
	"				5232U	12.8	157		130
	3083				5242U	13.3	153		130
	61				5262U	13.9	155		121
	3925				5272U	14.8	156		111
	3972				5292U	12.0	155		141
Wrinville Colony	12 month average				43 pigs	(14.0)	(167)		100
Wrinville									
89-2118	POT				828U	17.4	160		76
Wanchview Test Barn	12 month average				1,389 pigs	(13.4)	(151)		100
Wentley									
88-3802	RFAA 2165T				2793U	16.3	194		-29
	RFAA 111S				3594U	13.5	158		83
	"				3595U	12.3	164		84
	RFAA 1278N				3601U	13.9	164		65
	RFAA 3271T				3622U	12.8	159		90
	"				3623U	15.3	149		82
	RFAA 111S				3632U	14.4	167		52
	"				3635U	15.0	157		67
	RFAA 2165T				3653U	13.4	149		105
	RFAA 2219S				3387U	13.1	168		66
	RFAA 147S				3431U	14.8	174		32
	"				3433U	12.5	165		82
	"				3434U	16.4	166		30
	"				3461U	12.7	162		85

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Ranchview Test (continued)	RFAA 147S				3462U	14.6	182	17
	"				3463U	13.8	180	33
	"				3465U	13.2	183	32
	"				3473U	11.4	169	86
	"				3474U	12.9	166	73
	"				3475U	12.4	170	70
	RFAA 1278N				3481U	11.9	166	85
	"				34810U	14.1	171	49
	RFAA 110S				3495U	11.6	160	104
	RFAA 147S				3502U	10.0	172	96
	"				3504U	12.5	162	88
	"				3512U	13.8	186	19
	"				3514U	11.1	182	61
	"				3515U	12.5	184	38
	RFAA 2162T				3521U	12.3	163	89
	"				3522U	14.1	158	76
	"				3523U	11.9	160	98
	"				3526U	13.0	164	76
	RFAA 111S				3551U	11.9	176	64
	"				3553U	15.0	157	66
	"				3555U	13.8	170	53
	"				3557U	14.7	161	63
	RFAA 671P				3562U	13.4	158	85
	"				3566U	11.5	172	77
	RFAA 147S				3572U	11.6	161	99
	RFAA 3523T				3581U	11.9	165	88
	"				3582U	14.0	157	80
	"				3583U	14.0	166	60
	"				3584U	12.9	165	76
	"				3585U	11.4	155	117
	RFAA 111S				3592U	13.5	176	43
	"				3597U	15.3	164	48
	"				3598U	12.8	167	72
	RFAA 671P				3611U	12.1	162	92
	"				3612U	12.2	154	108
	"				3613U	14.3	174	39
	"				3614U	12.4	161	89
	RFAA 3271T				3624U	14.3	154	82
	"				3626U	13.7	165	66
	RFAA 111S				3642U	15.0	150	83
	"				3643U	13.9	154	88
	RFAA 2165T				3654U	16.8	166	24
	"				3655U	14.4	169	48
	RFAA 2162T				3661U	15.4	163	49
	RFAA 3523T				3671U	14.0	157	80
Vandenberg, J. Camrose 672-6177	12 month average				(Not Available)			
	ASCG 135T				590U	15.2	154	

G I L T S

BREEDER ADDRESS TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Maat, J. Aldale 7-9757	246	12.2	155	April 1 - 15	31	11.5	155
Schmeyer, D. Ruderheim 8-2845	54	15.0	149	"	6	15.3	156
Downlee, J. Hilly Hill 8-2313	63	15.2	168	"	13	15.2	163
Ringfeld, B. Aldale 5-3420	118	15.4	170	"	11	15.2	170
Schmeyer, G. Ruderheim 8-2845	25	14.5	146	"	1	17.2	149
Tejka, G. Llvan Lake 7-2656	415	14.8	173	"	14	13.5	186
Carthy, J. Aldale 2-4531	50	16.8	152	"	3	14.2	141
Line, B. Monoka 3-6695	174	15.2	158	"	12	13.5	158
Walter Farms Horton Springs 8-4472	198	14.8	160	"	8	13.8	150
Reske, M. Lacomdale 3-4938	194	16.9	163	"	17	15.6	156
Andenberg, J. Amrose 7-6177	24	16.1	148	"	7	17.2	152

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Wakeena Farm Bentley 748-4252	50	15.3	165	April 1 - 15	2	13.8	163
Weber Farms Ltd. Castor 882-2572	(Not Available)			"	15	15.4	175
<u>LANDRACE</u>							
Braat, J. Coaldale 327-9757	55	15.0	155	"	3	11.9	169
Carrich Stock Farm Ponoka 783-5181	22	14.5	185	"	2	13.6	181
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			"	2	15.5	158
McCarthy, K. Lindale 542-4531	(Not Available)			"	2	13.4	130
Milne, B. Ponoka 783-6695	59	14.6	152	"	3	13.4	152
Morinville Colony Morinville 939-2118	28	14.7	152	"	1	14.8	127
Reiter Farms Iron Springs 738-4472	(Not Available)			"	1	10.5	177
Wakeena Farm Bentley 748-4252	44	15.5	161	"	4	15.9	156

BREEDER ADDRESS TELEPHONE NUMBER		12 MONTH AVERAGE		PROBE PERIOD			
# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE	
<u>HAMPSHIRE</u>							
Brownlee, J. Fairy Hill 68-2313	53	13.4	180	April 1 - 15	4	13.0 184	
<u>DUROC</u>							
Maat, J. Paldale 27-9757	21	13.8	161	"	2	15.2 147	
<u>CROSSBRED</u>							
Maert, M. Marhead 74-3953	147	17.3	147	"	3	13.5 164	
Marich Stock Farm Monoka 83-5181	66	14.6	184	"	10	14.6 181	
Macobsson, G. Merlandia 74-4867	146	16.1	164	"	40	14.7 164	
Moort, C. Merlandia 74-4077	135	15.0	168	"	28	14.6 161	
Milne, B. Monoka 83-6695	328	15.1	155	"	22	14.2 145	
Orinville Colony Orinville 89-2118	178	15.1	176	"	12	15.6 163	
Peufeld Farms Ltd. Peme 46-3969	114	13.9	155	"	5	14.2 154	
Pids College Pids 56-8393	456	15.6	162	"	48	16.3 156	
Panchview Test Barn Pentley 48-3802	41	15.5	163	"	34	15.2 171	



Alberta Swine Improvement Program

CANADIANA

MAY 19 1987

HOME TEST REPORT
April 16 - 30, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

/2 . . .

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
YORKSHIRE								
Agra Farms Ltd. Kotoks 938-7742	12 month average				118 pigs	(14.3)	(160)	100
	ARHL 827T	-0.7	-4.7	130	ARHL 873U	10.6	157	158
	"	"	"	"	" 876U	11.4	152	155
	ARHL 521T	-0.8	-9.3	152	" 881U	12.9	154	129
	ARHL 827T	-0.7	-4.7	130	" 888U	9.9	148	183
	"	"	"	"	" 889U	10.6	157	159
	"	"	"	"	" 891U	10.3	159	160
	"	"	"	"	" 892U	12.2	150	146
	"	"	"	"	" 894U	13.1	150	134
	"	"	"	"	" 895U	11.5	158	143
	ARHL 521T	-0.8	-9.3	152	" 900U	11.3	144	169
	"	"	"	"	" 901U	13.7	142	137
	"	"	"	"	" 902U	13.5	143	137
	"	"	"	"	" 905U	12.7	158	126
	"	"	"	"	" 906U	13.9	152	119
loomsbury Farms loomsbury 74-3307	12 month average				25 pigs	(15.8)	(159)	100
	WM 8209T				WM 3003U	13.2	173	
	"				" 3004U	16.0	159	98
	WM 205U				" 3404U	13.4	145	140
	"				" 3405U	16.1	141	118
	"				" 3409U	12.9	138	153
	WM 8210T				" 3507U	16.5	130	127
	"				" 3508U	20.4	144	72
	"				" 3510U	16.2	144	114
	"				" 3604U	16.1	135	125
	"				" 3605U	18.0	139	102
	"				" 3607U	13.8	141	141
raat, J. oaldale 27-9757	12 month average				112 pigs	(11.9)	(147)	100
	ARBF 784T				ARBF 838U	14.6	182	3
	"				" 886U	9.4	149	126
	"				" 887U	8.7	142	146
	"				" 888U	10.3	152	110
	"				" 900U	13.2	151	79
	"				" 902U	11.5	140	119
	ANZI 3863P	-2.0	+7.8	106	" 907U	12.5	131	124
	"	"	"	"	" 909U	10.8	137	132
	"	"	"	"	" 927U	13.0	131	118
	"	"	"	"	" 928U	13.5	137	101
	"	"	"	"	" 929U	10.3	140	133

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Five Lakes Farms	12 month average				217 pigs	(13.4)	(158)	100
Mayerthorpe 786-4373	RITR 964T				JKAA 15701U	10.9	179	101
	JKAA 982S	+1.5	+1.8	67	" 16003U	11.4	181	95
	"	"	"	"	" 16005U	11.8	180	92
	JKAA 904U				" 16101U	11.8	168	104
	"				" 16102U	10.6	170	113
	"				" 16103U	9.5	173	120
	JKAA 1410T				" 16202U	11.5	169	106
	AOET 1395S	-0.1	-0.6	104	" 16601U	10.6	163	120
	"	"	"	"	" 16603U	10.1	177	111
	"	"	"	"	" 16606U	12.7	171	93
	JKAA 982S	+1.5	+1.8	67	" 17302U	11.7	155	118
Gwynne Vista Farms	12 month average				58 pigs	(14.0)	(170)	100
Gwynne 352-2998	GWYN 14308T				GWYN 14101U	9.8	185	113
	"				" 14205U	14.4	184	76
	AOGK 741T				" 14705U	8.8	167	146
	GWYN 14308T				" 14901U	14.1	160	113
	"				" 14902U	14.4	166	102
	"				" 14903U	11.5	161	132
	AOGK 741T				" 15002U	11.5	159	135
	"				" 15004U	9.8	154	157
	"				" 15005U	13.4	147	136
	"				" 15006U	12.9	157	127
Maschmeyer, D. Bruderheim 998-2845	12 month average				58 pigs	(14.0)	(148)	100
	DOUG 132T	+1.0	-3.6	96	DOUG 263U	17.7	149	65
	"	"	"	"	" 264U	14.8	152	86
	"	"	"	"	" 265U	13.6	145	107
	DOUG 800T	"	"	"	" 271U	12.1	148	116
Maschmeyer, G. Bruderheim 998-2845	12 month average				37 pigs	(14.3)	(141)	100
	DOUG 132T	+1.0	-3.6	96	HILL 193U	16.0	153	69
	DOUG 334T	-0.8	-2.9	126	" 212U	13.5	163	73
	"	"	"	"	" 214U	12.4	149	102
	DOUG 800T				" 223U	13.9	139	106
	"				" 224U	13.5	137	112
	"				" 225U	13.9	141	103
	"				" 226U	12.9	136	119

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
McCarthy, J. Lindale 542-4531	12 month average				24 pigs	(14.9)	(146)	100
	ASZT 372S	+0.1	+4.3	81	ASZT 292U	11.8	155	129
	"	"	"	"	" 293U	13.3	145	129
	"	"	"	"	" 294U	13.6	144	126
	"	"	"	"	" 295U	15.0	138	118
	"	"	"	"	" 296U	13.7	147	116
	"	"	"	"	" 304U	14.2	143	118
	"	"	"	"	" 305U	13.5	145	125
	"	"	"	"	" 306U	11.8	141	160
	YRZN 575T (1)				" 319U	12.7	135	160
West, N. & T.J. Radway 736-3790	12 month average				24 pigs	(14.2)	(161)	100
	JKAA 421T	-0.8	-5.6	135	ATED 314U	12.4	158	121
	"	"	"	"	" 321U	9.3	169	137
	"	"	"	"	" 325U	11.3	166	123
	"	"	"	"	" 332U	15.9	160	86
	"	"	"	"	" 343U	13.8	151	117
<u>LANDRACE</u>								
Agra Farms Ltd. Okotoks 938-7741	12 month average				139 pigs	(13.6)	(164)	100
	DLDA 557S (1)	-0.7	-4.4	128	ARHL 910U	11.7	136	166
	ARHL 311T	-1.0	-6.8	142	" 915U	12.0	136	163
	"	"	"	"	" 917U	12.2	137	158
	"	"	"	"	" 919U	12.6	132	163
	ARHL 39U				" 954U	11.5	142	158
	"				" 956U	8.9	143	187
	DLDA 557S (1)	-0.7	-4.4	128	" 966U	13.6	150	122
	ARHL 39U				" 975U	11.5	138	164
	DLDA 557S (1)	-0.7	-4.4	128	" 981U	11.8	144	152
Braat, J. Coaldale 927-9757	12 month average				42 pigs	(13.9)	(149)	100
	ASDZ 541S	+0.9	-1.4	91	ARBF 879U	14.4	146	100
	"	"	"	"	" 880U	18.4	149	60
	"	"	"	"	" 881U	18.0	148	66
	"	"	"	"	" 918U	18.3	145	67
	"	"	"	"	" 919U	16.6	151	74
Duff, B. Fort Saskatchewan 998-3101	12 month average				(Not Available)			
	DUFF 544T	-1.2	-5.8	142	BKDF 71U	16.7	133	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)					
Duff, D. Fort Saskatchewan 998-3101	12 month average				59 pigs	(14.8)	(151)	100
	DUFF 544T	-1.2	-5.8	142	DUFF 846U	13.4	146	119
	MCMC 8T	-1.2	-3.8	134	" 858U	15.6	156	86
	"	"	"	"	" 864U	14.4	145	114
	"	"	"	"	" 865U	13.3	160	96
	DUFF 544T	-1.2	-5.8	142	" 875U	15.2	152	96
Lakeland College Vermilion 853-2971, Ext 260	12 month average				76 pigs	(15.1)	(164)	100
	DASA 871S	+0.5	-8.1	124	ATAT 684U	16.3	164	87
	JBFA 2S (1)	-1.2	-10.0	158	" 711U	11.5	150	158
	"	"	"	"	" 715U	17.3	144	100
Maschmeyer, G. Bruderheim 998-2845	12 month average				(Not Available)			
	HILL 15S	+1.4	+6.7	51	HILL 73U	10.7	146	
	"	"	"	"	" 74U	10.2	155	
McCarthy, K. Lindale 542-4531	12 month average				(Not Available)			
	ARHL 313T (1)	-1.0	-0.8	129	KATH 52U	12.7	127	
	"	"	"	"	" 53U	15.0	133	
	JBFA 2S (1)	-1.2	-10.0	158	" 64U	11.8	130	
	"	"	"	"	" 65U	12.6	135	
	"	"	"	"	" 66U	9.7	131	
	"	"	"	"	" 67U	11.4	124	
	"	"	"	"	" 68U	12.7	126	
	"	"	"	"	" 69U	11.2	130	
West, N. & T.J. Radway 736-3790	12 month average				(Not Available)			
	MCMC 13T	-0.4	-2.1	115	LAST 15U	14.3	166	
	"	"	"	"	" 012U	15.7	159	
	"	"	"	"	" 013U	15.3	157	
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				65 pigs	(16.6)	(146)	10
	BL 204U				BL 3511U	16.8	132	12
	"				" 3512U	15.0	147	11

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Five Lakes Farms Mayerthorpe 786-4373	12 month average				144 pigs	(13.5)	(155)	100
	JA 110T	-0.7	+6.3	94	JA 15603U	12.9	195	47
	KR 1303S	-2.1	-0.8	149	" 15802U	9.5	182	96
	"	"	"	"	" 16404U	10.2	188	81
	"	"	"	"	" 16405U	12.1	171	89
	"	"	"	"	" 16505U	9.5	168	116
	JA 110T	-0.7	+6.3	94	" 16901U	11.5	152	122
	"	"	"	"	" 16902U	14.4	144	108
Gwynne Vista Farms Gwynne 352-2998	12 month average				105 pigs	(13.5)	(166)	100
	KR 8904S	-2.3	+2.4	142	KR 14501U	12.6	173	97
	"	"	"	"	" 14503U	13.6	181	73
	"	"	"	"	" 14504U	11.9	167	114
	"	"	"	"	" 14801U	11.5	171	111
	"	"	"	"	" 14802U	12.1	171	105
	JA 522S	-0.9	+4.4	104	" 15101U	12.5	155	129
	KR 8904S	-2.3	+2.4	142	" 15204U	14.7	146	122
	CDAO 153T (1)				" 15501U	14.4	157	105
	"				" 15502U	15.8	141	118
<u>HAMPSHIRE</u>								
Bloomsbury Farms Bloomsbury 574-3307	12 month average				35 pigs	(14.1)	(165)	100
	WM 8304T				WM 3302U	13.3	142	128
	"				" 3303U	13.8	140	125
	"				" 3306U	11.8	150	137
	"				" 3307U	13.8	147	119
Coaldale 27-9757	12 month average				26 pigs	(13.6)	(142)	100
	ARBF 656T	-0.8	-7.3	149	ARBF 853U	12.1	148	104
	"	"	"	"	" 854U	13.0	154	87
	"	"	"	"	" 855U	15.0	148	78
	"	"	"	"	" 856U	11.1	148	114
Five Lakes Farms Mayerthorpe 86-4373	12 month average				123 pigs	(12.6)	(163)	100
	AOJW 384T				JCAA 16701U	11.7	157	115
	"				" 16703U	12.3	154	113
	"				" 17205U	9.9	152	137

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		IND
		FAT (MM)	AGE (DAYS)				TO 90 KG	TO 90 KG	

DUROC

Braat, J. Coaldale 327-9757	12 month average				24 pigs	(13.1)	(155)	100
	ARBF 64T	-0.9	-0.6	125	ARBF 890U	16.0	149	81
	"	"	"	"	" 891U	14.1	138	111
	"	"	"	"	" 892U	14.2	164	74
	"	"	"	"	" 893U	16.9	146	71
Maschmeyer, G. Bruderheim 998-2845	12 month average				45 pigs	(14.2)	(149)	100
	HILL 12U				HILL 224U	14.5	153	91
	"				" 225U	18.4	150	51
	"				" 226U	14.7	146	101
	AUD 1512R	-0.3	+7.7	67	" 232U	11.9	148	121
	"	"	"	"	" 233U	11.1	155	121
	"	"	"	"	" 234U	12.2	163	101
	"	"	"	"	" 235U	14.0	155	91
	"	"	"	"	" 241U	11.7	152	121
	"	"	"	"	" 254U	13.3	144	111
	"	"	"	"	" 256U	13.5	142	111
	"	"	"	"	" 257U	14.6	131	121
	"	"	"	"	" 258U	13.7	153	101
Vandenberg, J. Camrose 672-6177	12 month average				28 pigs	(14.5)	(149)	100
	ASCG 145T				ASCG 642U	17.9	147	51
	"				" 653U	18.4	142	51
	"				" 654U	17.6	143	61

CROSSBRED

Bloomsbury Farms Bloomsbury 674-3307	12 month average	(Not Available)						
	WM 107U	8KJ	1001U	17.7	139			
	"	"	1002U	20.9	139			
	"	"	1003U	16.0	136			
	"	"	1004U	18.1	136			
	"	"	1005U	18.4	140			
	"	"	1006U	16.4	130			
	"	"	1007U	19.1	138			
	BL 15613T	"	1104U	13.4	119			
	"	"	1105U	15.2	123			
	"	"	1106U	16.9	124			
	"	"	1107U	14.0	123			

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Braat, J. Coaldale 327-9757	12 month average				113 pigs	(13.3)	(143)	100
	ARBF 656T	-0.8	-7.3	149	914U	14.0	154	72
	ARBF 64T	-0.9	-0.6	125	930U	13.5	137	111
	"	"	"	"	931U	14.1	130	118
	"	"	"	"	932U	16.2	130	100
	ARBF 656T	-0.8	-7.3	149	937U	11.0	139	131
	"	"	"	"	938U	11.8	141	119
	ASDZ 541S	+0.9	-1.4	91	943U	15.9	136	90
Ranchview Test Barn	12 month average				1180 pigs	(13.4)	(152)	100
Bentley 748-3802	RFAA 111S				3633U	17.1	161	36
	RFAA 2162T				3665U	15.3	163	56
	RFAA 3523T				3676U	11.7	162	101
	RFAA 110S				3705U	13.3	177	49
	RFAA 147S				3742U	14.1	152	91
	"				3745U	10.2	167	108
	RFAA 1791T				3771U	13.2	162	82
	"				3772U	14.0	153	92
	"				3773U	14.1	158	79
	"				3774U	13.8	163	72
	RFAA 147S				3781U	12.7	158	96
	"				3783U	12.9	151	108
	RFAA 111S				3791U	14.7	166	56
	"				3794U	12.3	157	103
	RFAA 110S				3811U	11.5	150	128
	"				3813U	12.5	154	108
	RFAA 111S				3826U	13.1	161	85
	"				3828U	15.2	161	61
	RFAA 2162T				3845U	13.8	159	81
	RFAA 1278N				3861U	16.0	150	73
	RFAA 110S				3922U	13.3	154	98
	RFAA 147S				3982U	13.0	144	122
	RFAA 3271T				4001U	13.2	141	126
	"				4002U	13.4	137	131
	"				4003U	13.9	154	91
	"				4004U	15.8	142	92
	"				4008U	12.8	144	125
	RFAA 111S				4045U	13.5	146	112
	"				4062U	15.9	147	82
	"				4064U	13.3	157	92
	RFAA 671P				41010U	14.5	147	98

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
West, N. & T.J.	12 month average				(Not Available)			
Radway								
736-3790	ATED 98S	-0.6	+0.6	109	1593U	12.6	168	
	ATED 2R				1739U	14.2	161	
	"				1741U	14.3	158	
Woelk Farms								
Unit #1	12 month average				(Not Available)			
Millet								
387-4801	GWYN 16701S				13002U	13.3	180	
	KR 5103S				13302U	16.9	170	
	AMBW 514S (1)	-2.1	+7.0	110	13602U	16.5	175	
	NPD 8714T (1)				13710U	13.0	177	
Woelk Farms								
Unit #2	12 month average				(Not Available)			
Millet								
387-4801	ARVY 557S (1)	-0.8	+0.9	114	13002U	13.0	155	
	NPD 8714T (1)				13402U	16.1	160	

G I L T S

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	149	14.9	163	April 16 - 30	7	14.4	154
Bloomsbury Farms Bloomsbury 674-3307	34	16.9	164	"	7	19.8	149
Braat, J. Coaldale 327-9757	246	12.2	155	"	15	13.7	143
Five Lakes Farms Mayerthorpe 786-4373	174	14.8	169	"	13	13.0	183
Gwynne Vista Farms Gwynne 352-2998	96	14.9	176	"	26	14.3	165
Maschmeyer, D. Bruderheim 998-2845	58	15.1	151	"	4	16.2	148
Maschmeyer, G. Bruderheim 998-2845	29	14.7	148	"	7	14.4	154
McCarthy, J. Lindale 542-4531	50	16.8	152	"	7	15.2	149
West, N. & T.J. Radway 736-3790	22	15.3	171	"	6	11.8	163
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	178	13.8	165	"	12	13.1	145

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Braat, J. Coaldale 327-9757	55	15.0	155	April 16 - 30	6	16.1	153
Duff, B. Fort Saskatchewan 998-3101	(Not Available)			"	1	18.1	133
Duff, D. Fort Saskatchewan 998-3101	105	14.9	151	"	18	15.0	153
Lakeland College Vermilion 853-2971, Ext 260	99	16.0	166	"	7	15.8	164
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			"	1	14.8	157
McCarthy, K. Lindale 542-4531	(Not Available)			"	5	13.0	131
West, N. & T.J. Radway 736-3790	(Not Available)			"	6	13.2	167
<u>LACOMBE</u>							
Baert, M. Barrhead 674-3953	116	16.4	150	"	9	16.1	140
Bloomsbury Farms Bloomsbury 674-3307	74	17.0	151	"	10	19.8	140
Five Lakes Farms Mayerthorpe 786-4373	118	15.3	168	"	7	11.5	176
Gwynne Vista Farms Gwynne 352-2998	171	14.9	172	"	6	12.7	159

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>HAMPSHIRE</u>							
Bloomsbury Farms Bloomsbury 574-3307	48	142	179	April 16 - 30	1	13.4	139
Braat, J. Coaldale 827-9757	26	14.5	148	"	2	16.1	157
Papenhuyzen, C. Stony Plain 963-4358	38	14.1	178	"	4	16.8	159
<u>DUROC</u>							
Baert, M. Barrhead 74-3953	(Not Available)			"	1	13.5	143
Braat, J. Coaldale 27-9757	21	13.8	161	"	1	16.1	147
Laschmeyer, G. Gruderheim 98-2845	39	15.9	146	"	6	16.3	152
Landenberg, J. Amrose 72-6177	20	16.1	140	"	4	18.6	140
<u>CROSSBRED</u>							
Bloomsbury Farms Bloomsbury 74-3307	(Not Available)			"	1	15.9	130
Braat, J. Coaldale 27-9757	73	14.2	150	"	3	17.9	142
Wynne Vista Farms Wynne 52-2998	184	14.9	169	"	10	12.5	166

BREEDER ADDRESS & TELEPHONE NUMBER	12 MONTH AVERAGE			PROBE PERIOD			AVG. B.F.	A
	# PROBED	BACKFAT (mm)	AGE (days)	DATE	# PROBED			
Jacobsson, G. Neerlandia 674-4867	177	15.6	165	April 16 - 30	35		13.6	1
Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			"	3		17.3	1
Ranchview Test Barn Bentley 748-3802	66	15.0	165	"	36		14.6	1
West, N. & T.J. Radway 736-3790	224	16.6	163	"	34		15.3	1
Woelk Farms, Unit 1 Millet 387-5466	96	17.9	174	"	18		15.0	1
Woelk Farms, Unit 2 Millet 387-5466	100	16.7	176	"	13		14.8	1